Volume 4
Pages 1–2106, L1–60
1971

Journal of
Physics D

Applied Physics

Published by
The Institute of Physics
London and Bristol

Journal of Physics D: Applied Physics

Editorial Board 1971

R S Pease MA SCD FINSTP *Honorary Editor* (*January–August*)
Professor A J Forty PHD DSC *Honorary Editor* (*from September*)
V S Crocker BSC PHD
H G Jerrard BSC PHD FINSTP
Dr J Kistemaker (*Netherlands*)
Professor D H Parkinson MA PHD FINSTP
Dr J Philibert (*France*)
M J Stowell BSC PHD FINSTP
Professor R S Tebble PHD DSC FINSTP

Assistant Editor

Mr P A Tulett (*January–July*)
Mr D F Manley BSC (*from August*)

Copyright © 1971 by the Institute of Physics and individual contributors. All rights reserved.

Under Part 1, Section 7 of the Copyright Act 1956 some libraries are permitted to make single copies of articles for individuals requiring them for the purpose of research or private study. The classes of library accorded this privilege and the conditions under which it is available are set out in the Act and in the associated Board of Trade regulations (Statutory Instruments, 1957, No. 868). Most libraries attached to higher educational establishments and research organizations, whether in the UK or elsewhere, qualify for this privilege provided that they were not established, and are not conducted, for profit. The Act, however, restricts the concession to material not exceeding one article in any one publication and requires that the individual making use of the service must pay at least the cost price of producing the copy.

Except for single copies covered by the concession relating to research and private study no part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without permission of the copyright owners.

Published by The Institute of Physics, 47 Belgrave Square, London SW1X 8QX, England, in association with the American Institute of Physics.

Journal of Physics D: Applied Physics is published as a monthly journal. Details are available on request.

Printed in Great Britain by Adlard and Son Ltd, Bartholomew Press, Dorking, Surrey.

Contents

JANUARY 1971

LETTERS TO THE EDITOR

A hybrid thermoelectric–thermomagnetic transformer . . . H. J. GOLDSMID L1
Threshold of parametrically excited fractional harmonics in a liquid . . . . . .L. ADLER and M. A. BREAZEALE L3

PAPERS AND RESEARCH NOTES

Mechanics, Elasticity, Vibration, Acoustics

The measurement of initial impact velocity and contact time (R) . . . . . .A. BOKOR and H. G. LEVENTHALL 160

Electrodynamics and Particle Optics

A theoretical consideration of some defects in electron optical images. A formulation of the problem for the incoherent case . . R. A. CRICK and D. L. MISELL 1
Dynamic refocusing in microspot cathode ray tubes . . . . S. S. WILLDER 21
The correction of deflection astigmatism in microspot cathode ray tubes . . . . . S. S. WILLDER 27
Small high current-density thermionic emitter . . . . N. K. MITRA 39
The operation of a convergent-flow electron gun for thin beams . N. K. MITRA 47
An electron beam spectrometer for the measurement of the angular distribution of plasma losses in thin films . . . . R. S. COLE and J. C. E. JENNINGS 54

Optics

Two-layer laser anti-reflection coatings . . . . P. A. YOUNG and W. G. THEGE 64
Light scattering by ellipsoidal particles in solution . J. A. FINNIGAN and D. J. JACOBS 72

Fluids, Plasmas and Gas Discharges

Thermal diffusion in the system ^{20}neon–methane . S. ACHARYYA and K. K. DATTA 78
Thermal conduction mechanisms in liquid Tl_2Te . A. J. DIXON and M. E. ERTL 83
Non-steady third harmonic generation in a plasma (R) . . . V. K. TRIPATHI 164
Investigation of the glow phase in spark discharges (R) . J. MEYER and C. S. LEE 168

Structure and Mechanical Properties of Solids

Investigation of the molecular structure in drawn polyethylene based upon nmr fourth moment measurements . V. J. MCBRIERTY, I. R. MCDONALD and I. M. WARD 88
Adsorption of uranium on tungsten single crystal planes . . . . . R. A. COLLINS and B. H. BLOTT 102
Adsorption of zirconium on tungsten single crystal planes . . . . . R. A. COLLINS and B. H. BLOTT 114
Elastic constants of triclinic copper sulphate pentahydrate crystals (R) . . . . . R. S. KRISHNAN, V. RADHA and E. S. R. GOPAL 171

Electrical and Magnetic Properties of Solids

The sharpening of field emitter tips by ion sputtering A. P. JANSSEN and J. P. JONES 118
Interferometric studies of domain structures in potassium niobate single crystals . . . . . K. G. DESHMUKH and S. G. INGLE 124
Heat treatment in vacuum of a high permeability Ni–Fe–Cu–Mo alloy . . . . . R. D. ENOCH and D. L. MURRELL 133
Faraday rotation in a calcium–bismuth–vanadium iron garnet . . R. M. LAMBERT 139
Cylindrical domains observed in thin cobalt crystals (R) . . . . . P. J. GRUNDY, R. S. TEBBLE and D. C. HOTHERSALL 174

Spectroscopy and Optical Properties of Solids

Investigations of the $L_{II, III}$ x-ray emission spectra of Fe by the electron microprobe. Part I: Some aspects of the Fe $L_{II, III}$ spectra from metallic iron and haematite . . . . . D. G. W. SMITH and R. K. O'NIONS 147
Optical constants of thin films of mercury sulphide (R) . . . W. R. OLIVER 178

BOOK REVIEWS 180

FEBRUARY 1971

LETTERS TO THE EDITOR

Carbon fibre composite as collimator and filter for stress waves . . . . . V. K. TEWARY and R. BULLOUGH L5

PAPERS AND RESEARCH NOTES

Mechanics, Elasticity, Vibration, Acoustics

Capillary models for porous media: III. Two-phase flow in a three-dimensional network with Gaussian radius distribution . D. NICHOLSON and J. H. PETROPOULOS 181

Some suggestions for new rheometer designs . . . . . T. N. G. ABBOTT, G. W. BOWEN and K. WALTERS 190

The unsteady flow of an elastico-viscous liquid in a straight pipe of circular cross section . . . . . N. D. WATERS and M. J. KING 204

The design of high intensity radial vibrators for metal working applications . . . . . M. J. R. YOUNG, C. E. WINSPER and D. H. SANSOME 212

Electromagnetism

Thermomagnetic and thermoelectric direct current transformers. . H. J. GOLDSMID 217

Electrodynamics and Particle Optics

The design of canal ion sources, taking account of aperture lens effects (R) . . . . . R. G. CARTER 329

Fluids, Plasmas and Gas Discharges

Laser beam induced breakdown in helium and argon . . . . . F. MORGAN, R. EVANS and C. GREY MORGAN 225

Transient temperature distributions in cylindrical arc columns following abrupt current changes . . . . . G. R. JONES, G. H. FREEMAN and H. EDELS 236

Detection of sputtered atoms by atomic absorption spectroscopy . . . . . A. J. STIRLING and W. D. WESTWOOD 246

Dependence of the statistical breakdown time-lag of a liquid dielectric on electrode geometry . . . . . J. E. BRIGNELL and K. D. METZMACHER 253

Vacuum magnetic field and surface current distributions for a slotted cylindrical shell carrying axial current (R) . . . . . W. R. ELLIS 332

Total secondary electron coefficients in helium–hydrogen admixtures (R) . . . . . D. J. MELLOR and J. R. TRAVIS 338

The influence of formative time lags on spark-gap recovery measurements (R) . . . . . F. L. CURZON and M. S. GAUTAM 341

Effect of cathode material in a laser triggered spark gap (R) S. H. KHAN and D. WALSH 344

Observations of neutral density in a modulated mercury positive column, using resonance absorption of the 2537 Å mercury line (R) . . . . . J. R. RILEY 348

Structure and Mechanical Properties of Solids

The resolution of multipeak data in fibre science A. M. HINDELEH and D. J. JOHNSON 259

The anisotropy of Young's modulus, shear modulus and Poisson's ratio in cubic materials . . . . . J. TURLEY and G. SINES 264

Dynamic stress–strain curves for various plastics and fibre-reinforced plastics . . . . . E. W. BILLINGTON and C. BRISSENDEN 272

Anomalous behaviour of thin films of nickel and silver (R) . . C. GONZALEZ 351

Electrical and Magnetic Properties of Solids

Numerical curve fitting of general order kinetics glow peaks D. SHENKER and R. CHEN 287

Discharge propagation through single crystals of KBr R. COOPER and D. L. PULFREY 292

Contact potential changes produced by very small stresses. . . . . C. R. BROWN, J. B. BROWN, E. ENGA and M. R. HALSE 298

The performance of negative electron affinity photocathodes . . G. A. ALLEN 308

The theory of composite dielectrics . . . . . W. E. A. DAVIES 318

Induced ac losses in an enhanced Meissner state (R) . . . . . R. J. A. SEEBOLD and R. G. RHODES 354

CORRIGENDA 356

MARCH 1971

LETTERS TO THE EDITOR

A new theory for breakdown to the left of the Paschen minimum . . . . . P. C. JOHNSON and A. B. PARKER L7

Radiation resistance of a centre-fed dipole with non-reflecting loading in a warm plasma . . . . . I. L. FREESTON and R. K. GUPTA L10

PAPERS AND RESEARCH NOTES

Mathematical Physics

Truncating criteria for polynomial curve fitting . . C. JAMES and S. P. LANG 357

Mechanics, Elasticity, Vibration, Acoustics

The strength of transverse waves in marginal planar detonation waves . . . . . D. H. EDWARDS and R. J. MEDDINS 364

Electromagnetism

Screened and unscreened axially-cylindrical surface-waves . . H. M. BARLOW 372

Optics

Spectral distribution and colour of north sky at Bombay . . . . . V. D. P. SASTRI and S. B. MANAMOHANAN 381

Fluids, Plasmas and Gas Discharges

The predicted effects of red blood cells on electromagnetic flowmeter sensitivity . . . . . M. K. BEVIR 387

The high-power constricted plasma discharge column: II—Experimental investigation . . . . . C. B. WHEELER 400

Current distribution in a mercury arc valve . . O. LLOYD and L. A. MIDDLETON 408

An ultrasonic method of gas diagnostics using an optical beam as a probe . . . . . A. R. JONES and M. J. R. SCHWAR 414

Squeeze films between rubber and glass . . . . . A. D. ROBERTS 423

The shear of thin liquid films . . . . . A. D. ROBERTS 433

The thermal conductivity of molten salts . . . . . K. CORNWELL 441

Conduction current pulses in transformer oil . . I. A. Y. MEGAHED and H. TROPPER 446

Comparison of probe and spectroscopic measurements in an argon plasma jet (R) . . . . . R. HOLMES and I. L. FREESTON 452

Structure and Mechanical Properties of Solids

Some properties of molybdenite cleavage surfaces . . . . . R. H. WILLIAMS and A. J. MCEVOY 456

A method for the measurement of thermal conductivity (R) . . B. B. SHARMA 465

Electrical and Magnetic Properties of Solids

A theory for negative resistance and memory effects in thin insulating films and its application to Au–ZnS–Au devices . . . . . R. R. SUTHERLAND 468

An experimental study of two-carrier currents in short germanium structures (R) . . . . . U. BÜGET 480

APRIL 1971

LETTERS TO THE EDITOR

A simple accurate expression for the saturation vapour pressure of water in the range −50 to 140 °C . . . . . J. M. RICHARDS L15

PAPERS AND RESEARCH NOTES

Optics

Visibility consideration in Michelson's interferometer in the presence of turbulence . . . . . R. S. SIROHI, V. P. NAYYAR and S. P. S. VIRDI 485

Theory of spectral line profile analysis with reflection echelon . . V. P. NAYYAR 489

Fluids, Plasmas and Gas Discharges

Growth of ionization currents in dry air at high values of E/N . . . . . C. RAJA RAO and G. R. GOVINDA RAJU 494

Cathode spot division in vacuum arcs with solid metal cathodes . . . . . B. E. DJAKOV and R. HOLMES 504

Variation of discharge current in a transverse magnetic field in a glow discharge . . . . . S. N. SEN and R. N. GUPTA 510

Induction velometry with two-dimensional non-uniformities of velocity and magnetic field . . . . . M. NISHIDA 518

Dielectric relaxation in n-pentanol . . G. H. BARBENZA and J. H. CALDERWOOD 525

The measurement of size and diffusion characteristics of aerosols with particle sizes less than 0·01 μm using the Pollak condensation nucleus counter . . M. A. PEDDER 531

Electrical discharges in liquid dielectrics (R) . . . . . W. D. CHADBAND, R. COELHO and J. DEBEAU 539

Structure and Mechanical Properties of Solids

Internal friction in indium single crystals . . . . . M. E. DE MORTON 541

The plume of electron and laser pulses . . B. STEVERDING and A. H. WERKHEISER 545

Electrical and Magnetic Properties of Solids
Magnetic field effects on microwave harmonic generation in n-InSb . . . . . R. K. KHANNA and V. K. TRIPATHI 552
Dielectric and electrical conductivity studies in potassium nitrite and potassium nitrate . . . . . A. MANSINGH and A. M. SMITH 560
Optimization of some parameters for high efficiency caesium–antimony semitransparent photocathodes . . . . G. K. BHIDE, L. M. RANGARAJAN and B. M. BHAT 568
Magnetic anisotropy in single-crystal nickel films . E. SECEMSKI and J. C. ANDERSON 574
Magnetic hardening and phase segregation in CuNiFe and CuNiCo alloys . . . . . I. JOFFE and P. GAUNT 586
On the T^2 rate of heating for TSC under charge neutrality condition (R) . . . . . T. C. MANCHANDA and V. K. MATHUR 593

Spectroscopy and Optical Properties of Solids
Supralinearity and sensitization of thermoluminescent phosphor lithium fluoride . . . . . F. S. W. HWANG 598

BOOK REVIEWS 608

BOOK NOTICES 610

CORRIGENDA 611

MAY 1971

LETTERS TO THE EDITOR
The impulse electric strength of polythene as a function of voltage rise time . . . . . D. B. WATSON L19

REVIEW ARTICLE
Conduction in thin dielectric films . . . . . J. G. SIMMONS 613

PAPERS AND RESEARCH NOTES

Electromagnetism
Ion temperature measurements for the PROTO-CLEO stellarator using a multi-grid electrostatic energy analyser . . . . . S. S. MEDLEY and D. R. A. WEBB 658

Optics
Effect of atmospheric turbulence on the far field diffraction of an annular aperture . . . . . P. K. KATTI, B. N. GUPTA and K. SINGH 666

Nuclear Physics
Trapping of keV deuterons in lithium . . . . . S. K. ERENTS, G. M. MCCRACKEN and P. GOLDSMITH 672

Fluids, Plasmas and Gas Discharges
Cathode fall in potential and space in mercury arcs . . . . . F. D. A. BOYLETT and I. G. MACLEAN 677

Change of State
On the calculation of force on a stationary evaporating sphere in the presence of another stationary sphere (R) . . . . . M. NASHED 680

Structure and Mechanical Properties of Solids
Unit-cell data and expansion coefficients of bismuth selenio-telluride . . . . . K. D. KUNDRA and S. Z. ALI 685

Electrical and Magnetic Properties of Solids
Potential barriers on semiconducting barium titanate . . . . C. A. MILLER 690
Intrinsic carrier concentration in semiconducting $Cd_xHg_{1-x}Te$ alloys C. T. ELLIOTT 697
Equivalent circuit and domain stability of a generalized Gunn diode: application to tunable diodes . . . . . A. B. TORRENS 705
Electrical and photoconductive properties of SnS_2 crystals . . . . . S. G. PATIL and R. H. TREDGOLD 718
Magnetic domains and high permeability in Ni–Fe–Cu–Mo alloys . . . . . I. PREECE and J. E. THOMPSON 723
High sensitivity Hall plates using epitaxial GaAs (R) S. S. NADKARNI and E. COHEN 729

Spectroscopy and Optical Properties of Solids
Phosphor efficiency in relation to current density . . . . . F. C. DELORI 734

Physical Chemistry
Laser-Doppler velocity measurements in laminar diffusion flames (R) . . . . . H. JAMES and P. D. GREEN 738

JUNE 1971

LETTERS TO THE EDITOR

The complex permittivity of some alcohols at 890·8 GHz . . . . . J. E. Allnutt, J. E. Staniforth and J. H. Calderwood L21

PAPERS AND RESEARCH NOTES

Optics

Interferometric thickness measurements on transparent thin films . . J. S. Hill 741

Elementary Particle and Nuclear Measurement

A new network scheme for pulse-height analysis applied to non-dispersive x-ray emission microanalysis . . . . . S. K. Mitra and T. A. Hall 748

Fluids, Plasmas and Gas Discharges

Low velocity arcs under the influence of transverse magnetic fields . G. A. Jullien 753

Temperature measurements in shock-heated carbon monoxide by an infrared technique . . . . . K. C. Lapworth, L. A. Allnutt and J. R. Pendlebury 759

The ratio of diffusion coefficient to mobility for slow electrons in dry air (R) . . . . . C. Raja Rao and G. R. Govinda Raju 769

Structure and Mechanical Properties of Solids

The structure of very thin lead films . . . P. I. Tillett and M. B. Heritage 773

The pressure-induced bismuth III–IV transition . . . . . S. Nichols 783

Thermomechanical damage by pulsed lasers . . . . . B. Steverding 787

Electrical and Magnetic Properties of Solids

Transport and optical properties of the $Cd_{3-x}Zn_xAs_2$ alloy system . . . . . L. M. Rogers, R. M. Jenkins and A. J. Crocker 793

The temperature dependence of the Hall effect in α-phase copper-base alloys at high temperatures . . . . . A. H. Hitchcock and J. Stringer 810

Dielectric breakdown of Perspex in non-uniform fields (R) . . . . . D. B. Watson and W. Heyes 818

On the utilization of Böttcher's formula for correct correlation of dielectric constant of powder and bulk (R) . . . . . A. S. Yadav and R. Parshad 822

Spectroscopy and Optical Properties of Solids

Optical properties of Sn^{2+} and Sb^{3+} in calcium metaphosphate glass . . . . . S. Parke and R. S. Webb 825

Optical constants of thin films of nickel, copper and germanium . A. Nag and L. Ward 829

The preparation of narrow-line Mössbauer sources of ^{57}Co in metallic matrices . . . . . G. Longworth and B. Window 835

Noise and modulation experiments on cathodoluminescence from a $Sr_3(PO_4)_2$–Tb phosphor . . . . . H. M. Fijnaut 840

Physical Chemistry

Ionization measurement in reactive shock and detonation waves using microwave techniques . . . . . D. H. Edwards, G. Hooper and A. A. Collyer 854

Laboratory and Experimental Techniques

Thermal radiation detector employing the Nernst effect in Cd_3As_2–NiAs . . . . . H. J. Goldsmid and K. R. Sydney 869

BOOK REVIEW 876

CORRIGENDUM 876

JULY 1971

PAPERS AND RESEARCH NOTES

Heat and Thermodynamics

On the behaviour of enthalpy probes in fluctuating temperature environments . . . . . J. B. Cox and F. J. Weinberg 877

Quantum Electronics, Quantum Optics

The gain of transversely excited CO_2 lasers at pressures up to 500 Torr . . . . . A. F. Gibson, M. F. Kimmitt and B. S. Patel 882

Fluids, Plasmas and Gas Discharges

Theory of transport in membranes: I—Steady-state . R. Ash and R. M. Barrer 888

The decay of optically thick helium plasmas, taking into account ionizing collisions between metastable atoms or molecules . . . . . J. Stevefelt 899

Theory of segmented metal discharge tubes for argon lasers . . . A. MAITLAND 907
Thermal equilibrium in argon induction discharges . . . . . A. D. STOKES 916
Transition probabilities in the neutral argon spectrum . . . . A. D. STOKES 930
How to measure the isothermal compressibility of liquids accurately . . . . . A. J. T. HAYWARD 938
Precise determination of the isothermal compressibility of mercury at 20 °C and 192 bar . . . . . A. T. J. HAYWARD 951
Slow carrier mobilities in *n*-hexane . . . . M. R. BELMONT and P. E. SECKER 956
Study of rf breakdown characteristics in the presence of parallel electric and magnetic fields (R) . . . S. KUMAR, A. CHANDRA, P. I. JOHN and D. C. SARKAR 959

Change of State

Measurements of the rate of evaporation of caesium from the tri-alkali photocathode in an alkali-free environment . . . . . M. OLIVER 962

Structure and Mechanical Properties of Solids

Dislocation damage by spark cutting in cadmium single crystals . . . . . C. LUKE and K. E. PUTTICK 967
The spalling of aluminium with a pulsed electron beam . . . . . J. L. PERKIN, E. MORRIS and D. W. LARGE 974
Spiral etch pits in KBr single crystals (R) . . . A. R. PATEL and B. P. AGARWAL 985

Electrical and Magnetic Properties of Solids

On electronic conduction through evaporated silicon oxide films . . . . . H. ADACHI, Y. SHIBATA and S. ONO 988
The electrical properties of undoped and oxygen-doped GaP grown by the liquid encapsulation technique . . . . . M. L. YOUNG and S. J. BASS 995
Transport properties of the $Cd_xPb_{1-x}Te$ alloy system L. M. ROGERS and A. J. CROCKER 1000
Transport and optical properties of the $Mg_xPb_{1-x}Te$ alloy system . . . . . L. M. ROGERS and A. J. CROCKER 1016
Electron scattering in some II–IV–VI alloy semiconductors . . L. M. ROGERS 1025
Derivation and application of an equation to the *B–H* loop . . . N. DAVIS 1034
Magnetomechanical effects in iron and iron–carbon alloys . . . . . R. R. BIRSS, C. A. FAUNCE and E. D. ISAAC 1040

Spectroscopy and Optical Properties of Solids

The determination of light absorption in diffusing materials by a photon diffusion model . . . . . L. F. GATE 1049
Laboratory determination of the characteristic reflection matrices of natural surfaces (R) . . . . . C. R. NAGARAJA RAO, H. S. CHEN and T. TAKASHIMA 1057
On the instrumental broadening correction in integral breadth analysis of x-ray line profiles from cold-worked alloys (R) . . . . S. P. SEN GUPTA and M. DE 1063

BOOK REVIEWS 1066

BOOK NOTICES 1068

AUGUST 1971

LETTERS TO THE EDITOR

Ammonia beam masers employing parallel plate and conical types of open resonator . . . . . D. C. LAINÉ and G. D. S. SMART L23
Observation of a transition into a stable mode for an arc burning on a rotating anode . . . . . R. REEVES-SAUNDERS L25

PAPERS AND RESEARCH NOTES

Mechanics, Elasticity, Vibration, Acoustics

On the limiting velocity through parallel bore tubes . . . . . T. C. CHIVERS and L. A. MITCHELL 1069
A theory for the slope of the shock-wave velocity against particle velocity curve (R) . . . . . G. W. SWAN 1077

Electromagnetism

Amplitude modulation of electromagnetic waves by acoustic waves in a dispersive magnetoplasma . . . . . C. J. K. VIRMANI and A. K. ARORA 1083

Quantum Electronics, Quantum Optics

Phase modulated axial modes in a passive cavity . . . . . J. N. ROSS 1092

Optics

An analysis of the errors in optical constants obtained from reflectance measurements . . . . . R. F. MILLER, L. S. JULIEN and A. J. TAYLOR 1100
On the theory of reflection by scattering and absorbing media (R) B. J. BRINKWORTH 1105

Nuclear Physics
The effect of the neutron energy spectrum on neutron displacement damage in niobium . . . . . S. Blow 1107

Fluids, Plasmas and Gas Discharges
The electric arc in constant pressure axial gas flow . . . . D. R. Topham 1114
Sparking potentials of saturated hydrocarbon gases . . . . . J. S. Mirza, C. W. Smith and J. H. Calderwood 1126
Breakdown potential of water vapour between plane parallel electrodes R. Hackam 1134
The mechanism of breakdown of ambient air in long uniform-field gaps . . . . . H. A. Boyd and D. J. Tedford 1140
The transient glow discharge in nitrogen and dry air . . . . I. D. Chalmers 1147
Hollow-cathode discharge characteristics of glow-modulator tubes . . . . . K. Barker and D. J. Marcer 1152
The production of charged monodisperse fuel droplets by electrical dispersion . . . . . A. R. Jones and K. C. Thong 1159

Structure and Mechanical Properties of Solids
Epitaxy and oblique face development in nickel electrodeposits on a copper cube face, in relation to rate of deposition, deposit thickness, degree of stirring and bath temperature . . . . . S. K. Verma and H. Wilman 1167
The elastic constants of a two-phase composite material . . . W. E. A. Davies 1176
Growth and properties of single crystals of group I–III–VI_2 ternary semiconductors . . . . . W. N. Honeyman and K. H. Wilkinson 1182
The adhesion and surface energy of elastic solids . . . . . K. Kendall 1186
The formation of homogeneous copper–nickel alloy films in ultra-high vacuum . . . . . J. K. A. Clarke and T. A. Spooner 1196
Some comments on the propagation of temperature waves in insulators . . . . . M. M. R. Williams 1201
Total emissivity of silicon at high temperatures . . . . . S. C. Jain, S. K. Agarwal, W. N. Borle and S. Tata 1207
The attenuation and backscattering of electron beams by thin films . . . . . I. R. McDonald, A. M. Lamki and C. F. G. Delaney 1210
Ionic structure of the spinel $FeCoCrO_4$ (R) . . . D. K. Kulkarni and C. Mande 1218

Electrical and Magnetic Properties of Solids
Magnetic domain studies using permeability spectra: III—Ni–Fe–Cu–Mo alloy . . . . . J. E. L. Bishop, P. G. Collar and E. W. Lee 1221
Tables of the frequency dependence of permeability for the Polivanov domain model . . . . . J. E. L. Bishop 1235
Disaccommodation in manganese-zinc ferrite . . . . . A. Fox 1239

Spectroscopy and Optical Properties of Solids
Titanium as a luminescence centre in thermoluminescent lithium fluoride . . . . . M. J. Rossiter, D. B. Rees-Evans, S. C. Ellis and J. M. Griffiths 1245

Geophysics
Impulse magnetic flux density close to the multiple return strokes of a lightning discharge . . . . . J. Rai and P. K. Bhattacharya 1252

CORRIGENDA 1256

SEPTEMBER 1971

LETTERS TO THE EDITOR
The scattering factor for geometrical magnetoresistance in GaAs . . . . . P. Blood and R. J. Tree L29
Comments on 'Supralinearity and sensitization of thermoluminescent phosphor lithium fluoride' . . . . . L. A. DeWerd and T. G. Stoebe: F. S. W. Hwang L31

PAPERS AND RESEARCH NOTES

Electromagnetism
The effect of magnetic fields on electron energy distribution functions and derived collision frequencies . . . S. C. Haydon, A. I. McIntosh and A. A. Simpson 1257
Properties of the tip-plane configuration . . . . R. Coelho and J. Debeau 1266

Electrodynamics and Particle Optics
Energy analysis of electron beams from perforated-mesh hollow-cathode gas discharge guns . . . . . D. P. Hale 1281
Electron trajectories in the magnetic field $b/(a-y)$ (R) . . . . J. Worster 1289

Fluids, Plasmas and Gas Discharges
Beam–plasma interactions in a hollow cathode . . . O. Lloyd 1291
Observations of the arc-forming stages of spark breakdown using an image intensifier and converter . . . I. D. Chalmers and H. Duffy 1302
Space-charge-influenced current in a dielectric liquid . K. Asano and A. W. Bright 1306
Structure and Mechanical Properties of Solids
A phenomenological study of gas–surface interactions . . M. M. R. Williams 1315
A study of the melt growth of single-crystal thiogallates . . . H. A. Chedzey, D. J. Marshall, H. T. Parfitt and D. S. Robertson 1320
The theory of elastic composite materials . . . . W. E. A. Davies 1325
Approximate widths of zero phonon lines broadened by point defect strain fields . . . G. Davies 1340
Electrical and Magnetic Properties of Solids
Electrical conduction in polyethylene terephthalate and polyethylene films . . . D. M. Taylor and T. J. Lewis 1346
Calculation of hysteresis losses in hard superconductors: polygonal-section conductors . . . W. T. Norris 1358
Structure of the current-induced intermediate state in type I superconductors . . . H. D. Wiederick, B. K. Mukherjee and D. C. Baird 1365
Surface-state density and surface potential in MIS capacitors by surface photovoltage measurements—I . . . . Y. W. Lam 1370
Surface-state density and surface potential in MIS capacitors by surface photovoltage measurements—II . . . Y. W. Lam and E. H. Rhoderick 1376
A study of vacuum breakdown using projections grown on field emitter tips . . . K. S. M. Bhatta, M. J. Duell and A. J. B. Robertson 1390
A critical evaluation of a thermal mechanism of switching . . . P. W. McMillan and P. Nesvadba 1401
Magnetostatic resonance modes in ferromagnets containing spherical cavities . . . M. I. Darby 1411
Spectroscopy and Optical Properties of Solids
Optical constants of thin films by an optimized reflection ratio method . . . R. F. Miller and A. J. Taylor 1419
An electron spin resonance study of carbon fibres based on polyacrylonitrile . . . D. Robson, F. Y. I. Assabghy and D. J. E. Ingram 1426
Physical Chemistry
An investigation of electron probe microanalysis corrections in nickel–cobalt alloys . . . G. L. Fisher 1439
BOOK REVIEW . . . 1448

OCTOBER 1971

LETTERS TO THE EDITOR
Comments on 'Comparison of probe and spectroscopic measurements in an argon plasma jet' . . . R. M. Clements and P. R. Smy L37

PAPERS AND RESEARCH NOTES
Mathematical Physics
Sequence representations of quasi-free electron density type integrals and their power series developments . . . S. Neumann 1449
Computer analysis of complex relaxation spectra . . . M. S. Ahmad, D. E. Barrow, E. A. Little and Z. C. Szkopiak 1460
Mechanics, Elasticity, Vibration, Acoustics
An elastic analysis of the deformation of rough spheres, rough cylinders and rough annuli in contact . . . F. C. Yip and J. E. S. Venart 1470
Reflectivity and curvature of hypersonic shock waves at 1 atmosphere . . . D. Simpson and P. R. Smy 1487
Heat and Thermodynamics
Temperature distributions downwind of moving mine fires . . M. Kennedy 1493
Electromagnetism
Electrostatic precipitation of airborne dust in the wake of a perforated plate . . . J. H. Vincent 1499
Atomic and Molecular Physics
Electron transfer in collisions of low-energy negative oxygen ions with O_2 . . . A. E. Roche and C. C. Goodyear 1513

Fluids, Plasmas and Gas Discharges

Molecular dissociation in a constricted glow discharge . . . R. H. Varey, J. Smalley, P. H. Richards, C. F. Gozna and D. T. Swift-Hook 1520

CO_2 laser generation of plasma for spectroscopy and spectrochemical analysis . . . A. F. Gibson, T. P. Hughes and C. L. M. Ireland 1527

Ion mobility in a helium–hydrogen admixture . . . D. J. Mellor 1535

Initiation of electrically augmented flames I. Fells, F. J. Fletcher and A. Wilson 1538

A spectroscopic study of the pulsed gas discharge in crossed electric and magnetic fields . . . V. I. Miljević and D. Dj. Tošić 1545

Pre-breakdown currents in hydrogen in uniform and non-uniform fields . . . M. A. Shallal and J. A. Harrison 1550

The mobility of charges photo-injected into a liquid dielectric . . . J. E. Brignell and A. Buttle 1560

Structure and Mechanical Properties of Solids

The Hertzian fracture test . . . T. R. Wilshaw 1567

A study of the growth of lithium iodate from aqueous solution (R) . . . D. S. Robertson and J. M. Roslington 1582

Slip system in MgO single crystal (R) . . . A. R. Patel and J. N. Sutaria 1586

Electrical and Magnetic Properties of Solids

Studies of tunnel MOS diodes: I—Interface effects in silicon Schottky diodes . . . H. C. Card and E. H. Rhoderick 1589

Studies of tunnel MOS diodes: II—Thermal equilibrium considerations . . . H. C. Card and E. H. Rhoderick 1602

Effect of magnetic fields on the absolute Seebeck coefficient and the resistivity of thermocouple wires . . . K. Schröder and M. Otooni 1612

Emission électronique secondaire d'un monocristal de NaCl bombardé par des ions de gaz rares . . . J. C. Baboux, M. Perdrix, R. Goutte et C. Guillaud 1617

Magnetostatic energies of spherical particles . . . R. Carey 1624

The effect of hydrogen adsorption on CdS thin-film conductivity (R) . . . T. Ambridge and G. Carter 1630

Domain structures in $KNbO_3$ single crystals associated with step ladders on pseudocubic (001) planes (R) . . . K. G. Deshmukh and S. G. Ingle 1633

Spectroscopy and Optical Properties of Solids

Defects in the performance of electro-optic modulators using glass $\bar{4}2m$ crystals . . . M. S. Ahmed and J. M. Ley 1637

Variation of Nd^{3+} cross section for stimulated emission with glass composition . . . P. H. Sarkies, J. N. Sandoe and S. Parke 1642

On the nature of oriented optical damage in polymethylmethacrylate (R) . . . Y. Balmor and E. Harnik 1650

Physical Chemistry

The heat of formation of the single-phase NiSn electrodeposit . . . M. Clarke and P. K. Dutta 1652

NOVEMBER 1971

LETTERS TO THE EDITOR

Exact solution of the equation for the induction velometry with two-dimensional non-uniformities of velocity and magnetic field . M. Nashed and M. A. K. Moustafa L39

Oscillation transient in a molecular *Q*-switched ammonia maser . . . W. S. Bardo and D. C. Lainé L42

On the operation of molecular beam masers with electret focusers . . . D. C. Lainé and R. C. Sweeting L44

Non-stationary pulse conduction in a dielectric liquid . . . G. M. Rhodes and J. E. Brignell L47

Electroforming of MIM thin-film devices in air at atmospheric pressure . . . R. A. Collins, G. Bowman and R. R. Sutherland L49

REVIEW ARTICLE

Cooling, freezing and substrate impact of droplets formed by rotary atomization . . . H. Jones 1657

PAPERS AND RESEARCH NOTES

Mechanics, Elasticity, Vibration, Acoustics

Clamping corrections for torsional stiffness of prismatic bars . . . C. J. Nederveen and J. F. Tilstra 1661

Electrodynamics and Particle Optics
An estimate of the effect of chromatic aberration in electron microscopy . . . . . D. L. Misell and R. A. Crick 1668

Optics
Effect of spherical aberration on the Fraunhofer diffraction of an optical system illuminated by partially coherent light . . . B. N. Gupta and M. C. Dubey 1675

Atomic and Molecular Physics
Computer simulation of the penetration of low-energy Kr ions into single-crystal tungsten . . . . . M. Pryde, A. G. Smith and G. Carter 1681

Fluids, Plasmas and Gas Discharges
Stagnation probe measurements in flowing plasmas . . . . . R. M. Clements and P. R. Smy 1687
Comparison of plasma density measurements made with a double probe, a resonant cavity technique and an upper hybrid frequency method . . . . . B. E. Keen and W. H. W. Fletcher 1695
Thermal boundary-layer effects on Langmuir probe measurements in flowing gases . . . . . G. J. Pert 1702
Characteristics of diffuse electrical discharges stabilized in flowing air, argon and nitrogen . . . . . D. A. Allen, I. Fells and F. J. Fletcher 1710
Electrical currents in flowing benzyl alcohol . . H. V. Löhneysen and H. Nägerl 1718

Structure and Mechanical Properties of Solids
The properties of silicon dioxide films on silicon as diffusion masks for boron . . . . . K. V. Anand, H. D. McKell and D. C. Northrop 1722
Anisotropic behaviour of the compliance and stiffness coefficients for cubic materials . . . . . J. Turley and G. Sines 1731
The efficiency of fibrous reinforcement of brittle matrices . . . . V. Laws 1737
Shear strength of the carbon–resin bond in carbon-fire-reinforced epoxies . . . . . W. N. Reynolds and N. L. Hancox 1747

Electrical and Magnetic Properties of Solids
The current–voltage characteristics of gel-state materials . . . . . T. Sakai and J. H. Calderwood 1754
AC superconductive properties and structure of sputtered niobium films . . . . . K. A. M. Arton and P. Hlawiczka 1762
AC losses in rotating and reciprocating superconductors and normal conductors . . . . . R. V. Harrowell 1769
Slow voltage-induced barrier height changes in metal–germanium surface barriers . . . . . A. Thanailakis and D. C. Northrop 1776
Dielectric measurements using sphere gaps—a simple approximation for the potential distribution . . . . . C. G. Garton 1785
Dieleetric dispersion in the paraelectric phase of potassium nitrate . . . . . A. Mansingh and A. M. Smith 1792
The dependence of permeability and losses on direction of magnetization in anisotropic ferromagnetic laminations . . . . . J. E. L. Bishop and P. M. Clay 1797
Space-charge-limited current enhanced by Frenkel effect (R) . . . D. F. Barbe 1812
Temperature variation of carrier concentration and conductivity mobility in heavily doped hot-pressed germanium–silicon alloys (R) . . . . . D. M. Rowe 1816

Spectroscopy and Optical Properties of Solids
Optical non-linearity in CdS at high photon densities S. Rafi Ahmad and D. Walsh 1820
Photoluminescence in ZnS (Cu, Mn) phosphors . . . . . P. S. Kanari, V. B. Singh and J. N. Nanda 1824
Study of the anisotropy in the Faraday rotation with respect to the magnetic field orientation in n-type germanium at 24 GHz (R) G. P. Srivastava and B. R. Sethi 1830

Laboratory and Experimental Techniques
Evaluation of a light transmission technique for testing a two-stage electrostatic dust precipitator . . . . . J. H. Vincent 1835

DECEMBER 1971

LETTERS TO THE EDITOR

Measurement of dielectric liquid motion under electrostatic stress by a laser-Doppler method . . . . . T. Sato and S. Sakamoto L53
Observation de l'intensité de la radiation $6p_{1/2}$–6s du césium dans une décharge pulsée à cathode froide . . . . . A. Banaszuk and J. Bensimon L55
Comments on 'Supralinearity and sensitization of thermoluminescent phosphor lithium fluoride' . . . . . P. D. Townsend L59

PAPERS AND RESEARCH NOTES

Mathematical Physics

The application of space-dependent multigroup theory to the analysis of neutron slowing down time experiments: I—Light and heavy water moderators . . . . . T. D. Beynon and M. A. W. Mondal 1843

Monte Carlo calculations of small-angle plural scattering . . . . . R. G. Lord and P. Rockett 1856

Mechanics, Elasticity, Vibration, Acoustics

Some suggestions for new rheometer designs: II—Interpretation of experimental results . . . . . J. M. Broadbent and K. Walters 1863

On CdS thin-film transducers for 9·4 GHz longitudinal waves in corundum precipitated by electron-bombardment evaporation C. Laermans, L. Michiels and A. De Bock 1880

Some measurements of the velocity of hypersound in germanium at low temperature (R) . . . . . S. Wilson and E. E. Schneider 1886

Electromagnetism

Electromagnetic wave propagation in a radially and axially non-uniform medium: optics of SELFOC fibres and rods; wave optics considerations . . . . . M. S. Sodha, A. K. Ghatak and D. P. S. Malik 1887

Characteristic rotor speed variations of a dielectric motor with a low-conductivity liquid . . . . . P. Simpson and R. J. Taylor 1893

Electrodynamics and Particle Optics

Thermal-imaging camera tubes with pyroelectric targets . . . . . B. R. Holeman and W. M. Wreathall 1898

The backscattering correction for quantitative electron probe microanalysis with electrons incident at 45° . . . . . S. J. B. Reed 1910

Fluids, Plasmas and Gas Discharges

An experimental study of magneto-viscous effects in a combustion plasma D. E. Fussey 1913

MHD duct flows at moderate Hartmann number . . . . . D. E. Fussey 1929

Arc cathode density measurements . . . . . C. C. Sanger and P. E. Secker 1940

Arc motion in magnetic fields in presence of gas flow . . . . . J. Lawton 1946

Modification of current flow electrohydrodynamic phenomena in dielectric liquids . . . . . B. P. Fisher and R. J. Taylor 1958

Anode spot oscillations (R) . . . . . A. T. Jackson 1963

On the impedance of dc gas discharges (R) . . . . . M. Sandulovicіu, G. Popa, L. Biborosch and O. Petrus 1965

Structure and Mechanical Properties of Solids

Structural defects in chemically deposited photoconducting films of PbS . . . . . H. N. Acharya and N. K. Misra 1968

The structure and growth of silver films condensed at oblique vapour incidence, and their dependence on the film thickness and the residual air pressure . . . . . P. K. Dutta and H. Wilman 1971

The adhesion of metal films to glass and magnesium oxide in tangential shear D. S. Lin 1977

Vacuum deposition of tin–selenium films . . . . . T. Terada 1991

Distribution of dislocations around indentations in $SrSO_4$ single crystals . . . . . A. R. Patel and H. L. Bhat 1998

The elastic constants of oriented glassy polymers . . . . . H. Wright, C. S. N. Faraday, E. F. T. White and L. R. G. Treloar 2002

Uneven deposition of vacuum-coated metal film on specimens composed of submicron particles (R) . . . . . S. Chatterji, N. T. Moore and J. W. Jeffery 2015

The strain amplitude damping in metals . . . . . C. F. Burdett 2017

Electrical and Magnetic Properties of Solids

Activation of a multi-emitter silicon carbide p–n junction cold cathode . . . . . R. V. Bellau, R. A. Chanter and C. L. Dargan 2022

On scanning electron microscope conduction-mode signals in bulk semiconductor devices: annular geometry . . . . . A. Gopinath and T. de Monts de Savasse 2031

The measurement of p–n junction depths using a scanning electron microscope . . . . . C. J. Heslop and E. W. Ward 2039

Small-signal analysis of a p–n junction avalanche diode having a uniform avalanche zone and a drift zone for unequal ionization rates and drift velocities of electrons and holes . . . . . B. B. Pal and S. K. Roy 2041

Comments on 'Equilibrium space-charge distribution in semiconductors' (R) . . . . . L. S. Gasanov 2049

Physical Chemistry

The structure and crystal growth of nickel electrodeposits from a sulphamate bath on polished polycrystalline copper, in relation to thickness, rate of deposition, temperature and stirring . . . . . S. K. VERMA and H. WILMAN 2051

BOOK REVIEW 2066

SUBJECT INDEX 1971 2067

AUTHOR INDEX 1971 (with titles) 2090

Journal of Physics D: Applied Physics
1971, Volume 4

Subject index

Introduction

The entries in this index refer to the papers and Letters by their page number. The entries are grouped under headings. If a heading for a particular subject does not appear, the subject may be in the form of a crossreference to another heading, perhaps of a more general nature. Many of the headings are subdivided by the use of subheadings, which are indented (ie printed slightly to the right) and commence with a small letter.

The information contained in the subject index is illustrated by the following example:

main heading *crossreferences to other headings*

Plasma, *see also Electric discharges; Electrons; Ions*

page numbers

ion motion and boundary as closed Mach surface 304–8

entry

subheading

confinement

sheath boundary, a Mach surface L39–40

entry

Associated with the main heading 'Confinement of plasma' is a 'see' crossreference as follows:

main heading *crossreference to other heading*

Confinement of plasma, *see Plasma/confinement*

This means that for papers on 'Confinement of plasma' the reader should consult the subheading 'confinement' of 'Plasma' as displayed above.

Arrangement of headings and subheadings

The headings and crossreferences are arranged throughout the index in alphabetical order according to the 'word by word' system. The subheadings are themselves arranged in alphabetical order under their respective headings.

Arrangement of entries under headings

Entries are arranged in four distinct groups as follows:

First group: arabic numerals

Second group: English alphabet (A–Z), roman numerals, Greek alphabet (excluding elementary particles)

Third group: elementary particle symbols; that is, the Greek and English alphabet—eg μ (muon), p (proton)

Fourth group: chemical formulae (including entries beginning with nuclei; eg ^{57}Fe).

Nuclei

Papers on nuclei whose mass number (or mass number range) is given are listed under a set of headings which begin 'Nuclei . . . '; eg Nuclei with $6 \leqslant A \leqslant 19$, where A is the mass number.

Aberrations, optical
cathode ray tube, microspot, correction of deflection astigmatism 27–38
electron microscopy, chromatic and spherical aberration 1–20
spherical, effect on Fraunhofer diffraction of partially coherent illuminated system 1675–80
Absorption, *see also Neutrons and antineutrons*
ultrasonic, liquid, measurement of attenuation from threshold of parametrically excited fractional harmonics L3–4
light, *see also Films, solid/optical properties; Optical constants; Spectra; Transmission, light*
photoconductor, CdS, double photon absorption 1820–3
CdS, double-photon absorption 1820–3
Hg 2537 Å resonance absorption line for neutral density measurements in positive column 348–50
HgS thin films 178–9
$Mg_xPb_{1-x}Te$ alloy system, band structure 1016–24
Acoustic transducers, *see Transducers*
Adhesion
elastic solids, surface energy dependency 1186–95
metal film to glass and MgO, tangential shear measurement 1977–90
Adion, *see Adsorption*
Adsorption, *see also Chromatography*
uranium on tungsten single-crystal planes 102–13
zirconium on tungsten single-crystal planes 114–7
CdS film, hydrogen, effect on electrical conductivity 1630–2
Aerosols
dust particles, electrostatic precipitation in wake of perforated plate 1499–512
electrostatic dust precipitator, two-stage, performance evaluation using light transmission technique 1835–42
particle size and diffusion characteristics 531–8
Afterglow, *see Discharges, electric*
Air
breakdown mechanism in long uniform field gaps 1140–6
breakdown, rf characteristics in parallel magnetic and electric fields 959–61
electron diffusion to mobility ratio in dry air 769–72
glow discharge, transient, glow duration 1147–51
ionization currents growth at high values of E/N 494–503
Alkali metals, *see also the individual metals*
photocathode, tri-alkali, Cs evaporation rate measurement 962–6
Alloys
cold-worked, x-ray diffraction line profiles, integral breadth analysis 1063–5
droplet formed by rotary atomization, cooling and freezing 1657–60
Aluminium
contact potential changes due to very small stresses 298–307
film adhesion to glass and MgO, tangential shear measurement 1977–90
foil, spalling with pulsed electron beam 974–84
Ammonia, *see Nitrogen compounds*
Analysis, *see Chemical analysis; Statistical analysis*
Anelasticity, *see Internal friction*
Anemometers
laser-Doppler, application to velocity measurements in laminar diffusion flames 738–40
Anisotropy, magnetic, *see Magnetic anisotropy*
Annealing
thin films of Ni and Ag, anomalous behaviour 351–3
Anodes, *see also Cathodes*
spot oscillations in He 1963–4
Anodic films, *see Films, solid*
Antimony compounds
Cs–Sb photocathode, semitransparent, parameters optimization 568–73
Antireflection coatings, *see Films, solid/optical properties*
Apparatus, *see Instruments*
Arcs, electric
cathode current density measurement 1940–5
energy balance in constant pressure axial gas flow 1114–25
high current, transition into stable mode L25–7
low-velocity, under the influence of weak transverse magnetic fields 753–8
steady motion in magnetic fields, gas flow influence 1946–57
transient temperature distributions in cylindrical arc columns, following abrupt current changes 236–45

vacuum, with solid metal cathodes, cathode spot division 504–9
Hg, cathode fall in potential and space 677–9
Argon
laser, segmented metal discharge tubes 907–15
plasma, induction discharge, local thermal equilibrium 916–29
plasma jet, probe and spectroscopic measurement comparison L37–8
plasma jet, probe and spectroscopic measurement comparison 452–5
plasma, spectral line transition probabilities 930–7
Aromatic compounds, *see Organic compounds*
Arsenic compounds
As_2S_3 film anti-reflection coating for He–Ne laser 64–71
Astigmatism, *see Aberrations, optical*
Atmospheric spectra
sky, north, Bombay 381–6
Atoms, *see also Nucleus*
plural electron scattering, small-angle, Monte Carlo calculations 1856–62
Attenuation, *see Absorption*

Barium compounds
$BaTiO_3$, semiconducting, potential barriers 690–6
Bismuth
phase transformation, pressure-induced from Bi III to Bi IV 783–6
Bismuth compounds
Bi_2SeTe_2, unit cell parameters and thermal expansion 685–9
Blood
flow in e.m. flowmeter, effects of red cells on sensitivity 387–99
Bonding of materials, *see Adhesion*
Breakdown, electric, *see also Discharges, electric; Electric strength*
laser induced in He and Ne 225–35
liquid dielectric, dependence of statistical time-lag on electrode geometry 253–8
vacuum, study using projections on field emitter tips 1390–400
KBr single crystals, cathode field enhancement 292–7
gases
air, ambient, breakdown mechanism in long uniform-field gaps 1140–6
air, rf characteristics in parallel magnetic and electric fields 959–61
Paschen minimum, low pressure side L7–10
spark breakdown, arc-forming stages observation 1302–5
water vapour, breakdown potential between plane parallel electrodes 1134–9
H_2, pre-breakdown currents in uniform and non-uniform fields 1550–9
He–H_2 admixture, total secondary electron coefficient calculation 338–40
solids
avalanche diode, small-signal analysis 2041–8
Perspex, dielectric breakdown in non-uniform fields 818–21
Breaking strength, *see Mechanical strength*
Breeders, *see Nuclear reactors, fission*
Brittleness, *see also Mechanical strength*
Herztian fracture test 1567–81

Cadmium
dislocation damage by spark cutting 967–73
Cadmium compounds
Cd_3As_2–NiAs, Nernst effect thermal radiation detector 869–75
$CdGa_2S_4$, crystal growth 1320–4
$Cd_xHg_{1-x}Te$ alloys, intrinsic carrier concentration 697–704
$Cd_xPb_{1-x}Te$ alloy system, heavy-mass hole conduction 1006–15
CdS film, electrical conductivity, hydrogen adsorption effect 1630–2
CdS, optical nonlinearity at high photon densities 1820–3
CdS, transducer, thin film, precipitation under electron bombardment 1880–5
$Cd_{3-x}Zn_xAs_2$, electron transport and optical properties 793–809
Caesium
discharge, pulsed, spontaneous emission L55–9
Caesium compounds
Cs–Sb photocathode, semitransparent, parameters optimization 568–73
Calcium compounds
CaBiVFe garnet, Faraday rotation 139–46
Calorimeters
enthalpy probes behaviour in fluctuating temperature gradient 877–81
Calorimetry
enthalpy probes behaviour in fluctuating temperature gradient 877–81
Carbon
fibre, polyacrylonitrile based, e.p.r. observation 1426–38
fibre reinforced epoxies, shear strength of carbon-resin bond 1747–53

Carbon compounds
CO, in shock tube, temperature measurement using i.r. spectra 759–68
CO_2 laser, transversely excited, gain measurement, 500 Torr 882–7
CO_2 spark discharge, glow phase, axial voltage distribution 168–70
Fe–C alloys, magnetomechanical effects 1040–8
Carrier mobility, *see Crystal electron states/transport processes; Semiconducting materials; Semiconductors*
Cathode rays, *see Electron beams*
Cathode ray oscillographs, *see Electrical measurement*
Cathode ray tubes, *see Electron tubes*
Cathodes, *see also Anodes; Electron emission*
for laser triggered spark gap, use of refractory material 344–7
photocathode, Cs–Sb, semitransparent, parameters optimization 568–73
photocathode, tri-alkali, Cs evaporation rate measurement 962–6
photocathodes, negative electron affinity, optimum thickness of GaAs on sapphire 308–17
semiconductor junction, p–n, cold cathode, multi-emitter, activation 2022–30
sputtered atom detection from Ni and Fe by atomic absorption spectroscopy 246–52
thermionic, high current density, fabrication and manufacture 39–46
Cs–Sb photocathodes, semitransparent, parameters optimization 568–73
SiC p–n junction cold cathode, multi-emitter, activation 2022–30
Cavitation
subharmonic generation in ultrasonic attenuation measurement L3–4
Charge carriers, *see Crystal electron states; Semiconducting materials; Semiconductors*
Chemical analysis, *see also Electron probe analysis; Spectrochemical analysis*
gas composition distribution, ultrasonic method using optical beam as probe 414–22
x-ray, network scheme for pulse-height analysis 748–52
Ni–Co alloys, microanalysis corrections 1439–47
Chemical equilibrium, *see Chemical reactions*
Chemical reactions, *see also Heat of formation*
plasma discharge, constricted glow 1520–6
Chromatic aberration, *see Aberrations, optical*
Chromatography
ion-exchange, resolution of multipeak data in fibre science, computer program 259–63
Circuits
network scheme for pulse-height analysis 748–52
Cleavage
KBr, etching of matched cleavage pairs 985–7
MoS_2 surface properties 456–64
Cobalt
domains, cylindrical 'bubble-type' in 10^3 Å thick crystals 174–7
Cobalt compounds
Cu–Ni–Co alloys, magnetic hardening and phase segregation 586–92
Ni–Co alloys, electron probe microanalysis corrections 1439–47
Coherence, *see Electromagnetic waves; Lasers; Masers*
Collision processes, *see also Atoms; Ionization; Scattering, particles*
initial inpact and contact time measurement 160–3
$O^- – O_2$, low-energy, electron transfer 1513–9
molecules
$O^- – O_2$, low-energy, electron transfer 1513–9
$O_2^- – O_2$, low-energy, electron transfer 1513–9
Colour
sky, north, Bombay 381–6
Composite materials
carbon fibre–epoxy resin as collimator and filter for stress waves L5–6
dielectric, permittivity, general theory 318–28
elastic constants, general analysis 1325–39
fibre reinforced epoxies, shear strength of carbon–resin bond 1747–53
fibre reinforcement, efficiency factors 1737–46
two phase, elastic constants 1176–81
Compressibility of liquids
isothermal, accurate measurement methods 938–50
Hg, isothermal, precise measurement 951–5
Conduction bands, *see Crystal electron states/band structure*
Conduction electron scattering, *see Crystal electron states/band structure*

Conduction, electrical, *see Conductivity, electrical*
Conduction thermal, *see Conductivity, thermal*
Conductivity, electrical, *see also Semiconducting materials; Semiconductors; Superconducting materials; Superconductivity*
dielectric film, high-field conduction properties 613–57
glass, thermal mechanism of switching 1401–10
insulating film, negative resistance and memory effects 468–79
polyethylene and polyethylene terephthalate films 1346–57
semiconductor, Ge–Si alloys, doped, temperature dependence 1816–9
semiconductor glass, thermal mechanism of switching 1401–10
thermally stimulated, T^2 rate of heating under [illegible] neutrality condition 593
BaT[illegible] onducting, potential barriers 690–6
CdS film, hydrogen adsorption effect 1630–2
GaP and GaP: O films 995–1005
Ge–Si alloys, doped, temperature dependence 1816–9
KNO_3, KNO_3, direct current conductivity, anomalies 560–7
SiO films, evaporated, Poole–Frenkel effect and current conductivity 988–94
SnS_2 single crystals 718–22
Conductivity, thermal
measurement, longitudinal heat flow method, surface losses, error elimination 465–7
molten salts, correlations 441–5
semiconductor Tl_2Te 83–7
Contacts, electrical
contact potential changes produced by very small stresses in Cu and Al 298–307
Cooling
alloy droplet formed by rotary atomization, prior to substrate impact 1657–60
Copper
contact potential changes due to very small stresses 298–307
film adhesion to glass and MgO, tangential shear measurement 1977–90
optical constants of thin films, photometric determination 829–34
Copper alloys, *see also Copper compounds*
Hall effect in alpha-phase, model for temperature dependence 810–7
Cu–Ni–Fe(Co), magnetic hardening and phase segregation 586–92
Cu–Ni films, homogeneous formation in ultra-high vacuum 1196–200
Ni–Fe–Cu–Mo, domain structure, permeability spectra 1221–34
Ni–Fe–Cu–Mo, magnetic domains and high permeability 723–8
Copper compounds, *see also Copper alloys*
$CuSO_4.5H_2O$, elastic constants determination by ultrasonic pulse echo method 171–3
Cracks
Hertzian fracture test 1567–81
Crystal chemistry
$FeCoCrC_4$ spinel, ionic structure 1218–20
Crystal electron states
Fermi surface, Cu alloys, model for temperature dependence of Hall effect 810–7
GaP and GaP: O films, donor levels, thermal ionization energy 995–1005
band structure
electron density type integrals, quasi-free, sequence representations 1449–59
semiconductor, group I–III–VI_2 compounds energy gaps 1182–5
semiconductor, n–Ge, Faraday effect observation 1830–4
n-Ge, Faraday effect observation 1830–4
$Cd_xHg_{1-x}Te$ alloys, intrinsic carrier concentration 697–704
$Mg_xPb_{1-x}Te$ alloy system, direct energy gap 1016–24
surface
MIS capacitor, surface-state density and surface potential measurement method 1370–5
MIS capacitor, surface-state density and surface potential measurement method 1376–89
transport processes
semiconductor, Ge–Si alloys, doped, carrier concentration and conduction mobility, temperature dependence 1816–9
semiconductor, group II–IV–VI compounds, electron scattering mechanisms 1025–33
$Cd_xHg_{1-x}Te$ alloys, intrinsic carrier concentration 697–704
$Cd_xPb_{1-x}Te$ alloy system, heavy-mass hole conduction 1006–15

$Cd_{3-x}Zn_xAs_2$, electron transport and optical properties 793–809
GaP and GaP:O films, carrier concentration 995–1005
SiO films, evaporated, Poole–Frenkel effect and current conductivity 988–94
Crystal etching
KBr, spiral etch pits 985–7
MgO indented cleavage faces, plastic deformation 1586–8
$SrSO_4$, dislocation distribution around indentation 1998–2001
Crystal growth
semiconductor, group I–III–VI_2 compounds 1182–5
thiogallates, melt growth 1320–4
$AgGaS_2$, melt growth 1320–4
$CdGa_2S_4$, melt growth 1320–4
$LiIO_3$, solution growth 1582–5
Crystal imperfections
PbS films, structure defects, photosensitivity dependence 1968–70
dislocations
metal, damage by spark cutting 967–[illegible]3
metal, strain amplitude damping 2017–21
Cd, damage by spark cutting [illegible]–73
KBr, spiral etch pits 985–7
MgO, loop configurations [illegible]–8
$SrSO_4$, rosette distribution [illegible]round indentation 1998–200[illegible]
Crystal properties
elastic constant anis[illegible]roper[illegible] 264–71
Crystal structure, ato[illegible]; *see also Crystal electron state*
Bi_2SeTe_3, uni[illegible] cell parameters 585–9
Pb films, [illegible]cy thin, structure exami[illegible]ation by electron diffraction 77[illegible]32
Curren[illegible], electrical
[illegible]surface distribution for slotted cylindrical shell carrying axial current 332–7

Dark space, *see Discharges, electric*
Defects, *see Crystal imperfections*
Detonation, *see also Shock waves*
wave, marginal planar, strength of transverse waves 364–71
Deuterons
trapping in Li, efficiency 672–6
Dielectric constant, *see Permittivity*
Dielectric loss, *see Dielectric phenomena; Dielectric properties of substances*
Dielectric measurement
sphere gap method, potential distribution approximation 1785–91

Dielectric phenomena
film, negative resistance and [illegible]memory effects 468–79
liquid statistical breakdo[illegible]n time-lag dependence on electr[illegible]le geometry 253–8
Dielectric properties of [illegible]ubstances, *see also Electric strength*[illegible]*Permittivity*
benzyl alcohol, [illegible]owing, electric currents 1718–21
breakdown [illegible]tistical time-lag on electrode [illegible]geometry 253–8
current [illegible]ow modification by EHD phen[illegible]mena 1958–62
disch[illegible]rge growth, shadowgraph ob[illegible]servation 539–40
n-[illegible]exane, non-stationery pulse conduction L47–8
n-hexane, slow carrier mobilities 956–8
n-pentanol, relaxation 525–30
photoinjected charge mobility 1560–6
space-charge-limited injection 1306–14
transformer oil, conduction current pulses 446–51
solids
bulk constant, Bottcher's formula for derivation from powder data 822–4
film, high-field conduction properties 613–57
gelatin gel, IV characteristics, space-charge-limited phenomena 1754–61
Perspex, dielectric breakdown in non-uniform fields 818–21
polyethylene and polyethylene terephthalate films, electrical conductivity 1346–57
polythene, impulse electric strength, relation to voltage rise time L19–20
KNO_2, KNO_3, direct current conductivity, dielectric constant, losses, anomalies 560–7
KNO_3, paraelectric phase, dispersion properties 1792–6
Dielectric relaxation
n-pentanol 525–30
KNO_3, paraelectric phase 1792–6
Diffraction, light
Fraunhofer, of annular aperture, atmospheric turbulence effect 666–71
Fraunhofer, of partially coherent illuminated system, aberrations effect 1675–80
Diffusion, *see also Diffusion in gases*
membrane, steady-state processes 888–98
Diffusion in gases, *see also Flow/gases*
air, dry, ratio of electron diffusion to mobility 769–72
thermal, ^{20}Ne–CH_4 system, α_T measurement 78–82

Diodes, *see Electron tubes; Plasma/devices; Semiconducting devices/diodes; Semiconducting devices/tunnel and interface devices*
Discharge tubes, *see Electron tubes; Gas-discharge tubes*
Discharges, electric, *see also Arcs, electric; Breakdown, electric; Plasma; Sparks, electric*
cathode spot division in vacuum arcs with solid metal cathodes 504–9
diffuse stabilized, as spectroscopy excitation sources 1710–7
electron energy distribution functions and collision frequencies, magnetic field effects 1257–65
hollow cathode, beam–plasma interactions 1291–301
impedence of oscillatory circuit, direct measurement method 1965–7
liquid, transparent, shadowgraph observation 539–40
plasma column, high-power constricted, parameters 400–7
pulsed gas, in crossed fields, spectroscopic study 1545–9
spark glow phase, axial voltage distribution in H_2, N_2, CO_2 168–70
Ar glow discharges, atom sputtering from Ni and Fe cathodes 246–52
Ar, induction, local thermal equilibrium 916–29
Cs, pulsed, spontaneous emission 55–9
He, anode spot oscillations 1963–4
glows
air, dry, transient discharge, glow duration 1147–51
constricted discharge, molecule dissociation 1520–6
current variation in transverse magnetic field 510–7
hollow cathode glow-modulator tube, discharge characteristics 1152–8
He afterglow, effective recombination rate 899–906
N_2, transient discharge, glow duration 1147–51
Dislocations, *see Crystal imperfections/dislocations*
Dispersion, optical, *see also Optical constants; Refractive index*
Disperse systems
dust particles, electrostatic precipitation in wake of perforated plate 1499–512
fuel droplets, monodisperse, production by electrical dispersion 1159–66
HgS thin films 178–9
Dispersions, *see Disperse systems*
Domains
ferroelectric, $KNbO_3$, domain structure associated with step ladders on pseudocubic planes 1633–6
Gunn diode, generalized, equivalent circuit and domain stability 705–17
magnetic, Polivanov model, related to permeability frequency dependence 1235–8
magnetostatic energies of spherical particles 1624–9
Co 10^3 Å thick crystals, cylindrical 'bubble-type' 174–7
$KNbO_3$, domain structure associated with step ladders on pseudocubic planes 1633–6
$KNbO_3$ single crystals, interferometric studies 124–32
Ni–Fe–Cu–Mo alloys, magnetic domain structure 723–8
Ni–Fe–Cu–Mo alloy, magnetic domain structure, permeability spectra 1221–34
Doppler effect
laser-Doppler velocity measurements in laminar diffusion flames 738–40
Drops
alloy droplets, cooling and freezing prior to substrate impact 1657–60
fuel droplets, monodisperse, production by electrical dispersion 1159–66
Dynamos, *see Electrical machines*

Eddy-currents
ferromagnetic laminations, anisotropic, losses during cyclic magnetization 1797–811
Effusion, *see Flow/gases*
Elastic constants, *see also Stress/strain relations*
composite material, general analysis 1325–39
composite material, two phase 1176–81
cubic crystal, compliance and stiffness coefficients, anisotropic behaviour 1731–6
polymer, oriented glassy, anisotropic constants 2002–14
Young's modulus, shear modulus, Poisson's ratio in cubic materials, anisotropy 264–71
measurement
torsional stiffness of prismatic bars, clamping corrections 1661–7
$CuSO_4.5H_2O$, by ultrasonic pulse echo method 171–3

Elastic deformation, *see also Stress/strain relations*
rough bodies in contact, analysis 1470–86
Elastic losses, *see Internal friction*
Elastic waves
stress waves in carbon fibre–epoxy resin composite L5–6
Electrets, *see also Electrostatics*
as focuser for molecular beam maser L44–6
Electric breakdown, *see Breakdown, electric*
Electric discharges, *see Discharges, electric*
Electric domains, *see Domains*
Electric strength
polythene, impulse electric strength, relation to voltage rise time L19–20
Electrical conduction, *see Conductivity, electrical*
Electrical current, *see Current, electrical*
Electrical machines
ac losses in rotating and reciprocating superconductors 1769–75
dielectric motor, liquid immersed, characteristic rotor speed variations 1893–7
Electro-optical effects, *see also Optical constants*
modulator using class 42*m* crystal, performance defects 1637–41
Electrodes, *see also Anodes; Cathodes*
geometry, rel, to statistical breakdown time-lag of liquid dielectric 253–8
Electrodynamics, *see also Eddy-currents*
trajectory of electron moving in magnetic field, parametric equations 1289–90
Electrogasdynamics, *see Electrohydrodynamics*
Electrohydrodynamics, *see also Magnetohydrodynamics*
dielectric liquid, current flow modification 1958–62
generator, space-charge-limited injection in dielectric liquid 1306–14
induction velometry, two-dimensional, potential function L39–42
Electromagnetic oscillations, *see Magnetohydrodynamics; Masers; Plasma/oscillations*
Electromagnetic wave propagation, *see also Absorption; Diffraction, light; Plasma/electromagnetic waves*
dielectric medium, wave optics 1887–92
guided surface waves, screened and unscreened axially-cylindrical 372–80
SELFOC fibres and rods, wave optics 1887–92
Electromagnetic waves
microwave interaction with plasma, third harmonic generation 164–7
Electromechanical effects, *see Electrostriction; Piezoelectricity*
Electron avalanches, *see Breakdown, electric*
Electron beams, *see also Electron optics*
energy spectrum analysis of beams from hollow-cathode guns 1281–8
film, attenuation and back scattering 1201–6
gun, convergent-flow for thin beams, operation 47–53
gun, perforated-mesh hollow-cathode gas discharge, operating characteristics 1281–8
spectrometer, for measurement of angular distribution of plasma losses in thin films 54–63
effects
hypothermal material ejection plume from solid target 545–51
Al foils, spalling with pulsed beam 974–84
Electron density
Ar plasma jet, probe and spectroscopic measurement comparison 452–5
Electron diffraction examination of materials
MoS_2 cleavage surface properties 456–64
Pb films, very thin, structure examination 773–82
Electron emission
secondary, NaCl, energy distribution, temperature dependence 1617–23
thermionic emitter, high current-density, fabrication and manufacture 39–46
field emission
cathodic projections on emitter tips, related to vacuum breakdown 1390–400
sharpening of emitter tips by ion sputtering 118–23
W with Zr adsorption 114–7
W with U adsorption 102–3
photoelectric
photocathode, Cs–Sb, semitransparent, parameters optimization 568–73
photocathodes, negative electron affinity, optimum thickness of GaAs on sapphire 308–17
photocathode, tri-alkali, Cs evaporation rate measurement 962–6
Electron energy states, *see Crystal electron states*
Electron guns, *see Electron beams*

Electron microscope examination of materials
semiconductor devices, bulk defects and resistance variations 2031–8
semiconductor p–n junction depth measurement 2039–40
Electron microscopy
aberrations, chromatic and spherical, formulation for incoherent case 1–20
chromatic aberration effects 1668–74
Electron mobility, solids, *see Crystal electron states/transport processes*
Electron optics
aberrations, chromatic and spherical, in electron microscopy 1–20
cathode ray tube, microspot, correction of deflection astigmatism 27–38
chromatic aberration effects on microscope image 1668–74
Electron paramagnetic resonance, *see Paramagnetic resonance and relaxation*
Electron probe analysis
backscattering correction for quantitative microanalysis with electrons incident at 45° 1910–2
Fe $L_{II, III}$ x-ray emission spectra from metallic iron and haematite 147–59
Ni–Co alloys, microanalysis corrections 1439–47
Electron probe microanalysis, *see Electron probe analysis*
Electron states in solids, *see Crystal electron states*
Electron theory of metals, *see Crystal electron states*
Electron traps
Frenkel effect enhancement of space-charge limited current 1812–15
glow peaks, numerical curve fitting of general order kinetics 287–91
SiO films, evaporated, Poole–Frenkel effect 988–94
Electron tubes
cathode ray tube, microspot, dynamic refocusing 21–6
cathode ray tube, microspot, correction of deflection astigmatism 27–38
TV thermal imaging camera tubes with pyroelectric targets 1898–909
Electrons, *see also Crystal electron states; Plasma*
diffusion to mobility ratio in dry air 769–72
Electrophoresis
dust particles, electrostatic precipitation in wake of perforated plate 1499–512
Electrostatics, *see also Electrets*
dust precipitator, two-stage, performance evaluation using light transmission technique 1835–42
point–plane electrode configuration, free charge motion 1266–80
Emission spectra, *see Luminescence; Spectra; X-ray spectra*
Emissivity
Si, high temperature total emissivity 1207–9
Energy bands and gaps, *see Crystal electron states/band structure; Semiconducting materials; Semiconductors*
Energy loss of particles
water, light and heavy, neutron slowing down times 1843–55
Li, deuteron trapping efficiency 672–6
Enthalpy measurements, *see Calorimetry*
Epitaxy, *see also Crystal growth*
Ni, and oblique face development on Cu cube face 1167–75
epr, *see Paramagnetic resonance and relaxation*
Etching, *see Crystal etching*
Evaporation
spherical drop, stationary, force calculation 680–4
Examination of materials, *see Electron diffraction examination of materials; Electron microscope examination of materials; X-ray examination of materials*
Exoelectron emission, *see Electron emission*

Faraday effect
n-Ge, microwave effect, anisotropy 1830–4
semiconductor, n-Ge, microwave effect, anisotropy 1830–4
CaBiVFe garnet, rotation in range 1–5·5 μm 139–46
Ferrites
$Zn_{1-x}Mn_xFe_2O_4$, disaccommodation, temperature spectrum 1239–44
Ferroelectric materials
triglycine sulphate, domain growth dynamics 1898–909
KNO_3, dielectric dispersion in paraelectric phase 1792–6
$KNbO_3$, domain structure associated with step ladders on pseudocubic planes 1633–6
$KNbO_3$ single-crystal, domain structures studied by interferometry 124–32
Ferromagnetic resonance
magnetostatic resonance modes in magnets with spherical cavities 1411–18
Ferromagnetics, *see Magnetic properties of substances/ferromagnetic*
Fibre optics, *see Fibres/optical*

Fibres
carbon fibre-epoxy resin composite as collimator and filter for stress waves L5–6
reinforced composites, shear strength of carbon-resin bond 1747–53
reinforcement of brittle matrices, efficiency factors 1737–46
science, resolution of multipeak data 259–63
C reinforced epoxies, shear strength of carbon-resin bond 1747–53
C, polyacrylonitrile based, epr observation 1426–38
optical
SELFOC, em waves optics 1887–92
Field emission, *see Electron emission/field emission*
Field ion microscopy
sharpening of field emitter tips by ion sputtering 118–23
Films, liquids, *see also Helium*
shear strength 433–40
squeeze, between rubber and glass, bell entrapments 423–32
Films, solid
electron beam attenuation and backscattering 1201–6
metal, adhesion to glass and MgO, tangential shear measurement 1977–90
metal, uneven vacuum deposition 2015–16
plasma losses, angular distribution measurement using electron beam spectrometer 54–63
thickness measurement by interferometric means, interpretation of fringes 741–7
thin, of Ni on Ag and Ag on Ni, behaviour on annealing 351–3
Ag, growth and structure, thickness dependence 1971–6
Al foils, spalling with pulsed electron beam 974–84
Cu–Ni alloy, homogeneous formation in ultra-high vacuum 1196–200
Ni electrodeposit, structure and crystal growth on polished Cu 2051–65
Ni, epitaxy and oblique face development on Cu cube face 1167–75
PbS, structure defects 1968–70
Pb, structure of very thin films, determination by electron diffraction 773–82
SiO_2, on Si, as diffusion masks for boron 1722–30
Sn–Se, vacuum deposition 1991–7
electrical properties
dielectric, high-field conduction properties 613–57
insulator, negative resistance and memory effects 468–79
polyethylene and polyethylene terephthalate, conductivity 1346–57
semiconductor, GaAs, geometrical magnetoresistance scattering factor L29–31
superconductor, Nb, ac losses and flux penetration 1762–8
CdS, conductivity, hydrogen adsorption effect 1630–2
GaAs, geometrical magnetoresistance scattering factor L29–31
GaP and GaP: O, Hall coefficient, conductivity, donor levels, carrier concentration 995–1005
Nb, superconductor, ac losses and flux penetration 1762–8
PbS, photosensitivity, structure defects dependence 1968–70
SiO, evaporated, electronic conduction, Poole–Frenkel effect 988–94
magnetic properties
Ni, anisotropy 574–85
optical properties
anti-reflection coatings, two-layer, for He–Ne laser 64–71
optical constants measurement by optimized reflection ratio method 1419–25
optical constants of thin films, photometric determination 829–34
HgS, dispersion and absorption 178–9
Filters, electrical, *see Circuits*
Flames
diffusion, laminar, laser-Doppler velocity measurements 738–40
electrically augmented, initiation voltage 1538–44
Flow, *see also Diffusion; Turbulence*
two-phase, porous material capillary model in 3D network with Gaussian radius distribution 181–9
gases, *see also Anemometers*
limiting velocity through parallel bore tubes 1069–76
liquids
dielectric, under electrostatic stress, laser-Doppler method L53–5
elastico-viscous, unsteady flow in straight pipe of circular cross section 204–11
Flowmeters, *see also Birefringence*
em, sensitivity, red blood cell effects 387–99
Fluid flow, *see Flow*

Fluorescence
glass, Ca metaphosphate, Sn^{2+} and Sb^{3+} doped, fluorescence and decay-time measurement 825–8
Fluorimetry, *see Chemical analysis*
Focusing
cathode ray tube, microspot, dynamic refocusing 21–6
Forming processes
spark machining in metals, dislocation damage estimation 967–73
Fracture, *see also Cleavage; Mechanical strength*
Hertzian test 1567–81
Fraunhofer diffraction, *see Diffraction, light*
Freezing
alloy droplet formed by rotary atomization, prior to substrate impact 1657–60
Friction, interval, *see Internal friction*
Frictional electricity, *see Electrostatics*

Gallium compounds
GaP and GaP : O films, electrical properties 995–1005
Galvanothermomagnetic effects
thermocouple wires, magneto-Seebeck coefficient 1612–6
Garnets, *see also Ferrites*
CaBiVFe garnet, Faraday rotation 139–46
Gas analysis, *see Chemical analysis*
Gas-discharge tubes
segmented metal, for Ar lasers 907–15
Gas flow, *see Flow/gases*
Gases
diagnostics, ultrasonic method using optical beam as probe 414–22
Gelatin
gel, IV characteristics, space-charge-limited phenomena 1754–61
Gels
gelatin, IV characteristics, space-charge-limited phenomena 1754–61
Generators, *see Electrical machines*
Germanium, *see also Semiconducting devices; Semiconducting materials/germanium*
hypersonic velocity measurement, low temperature 1886
optical constants of thin films, photometric determination 829–34
Germanium compounds
Ge–Si alloys, doped carrier concentration and conduction mobility, temperature dependence 1816–9
Glass, *see also Optical materials*
adhesion of metal films, tangential shear measurement 1977–90
semiconductor, thermal mechanism of switching 1401–10
$CaO.P_2O_5 : Sn^{2+}, Sb^{3+}$, absorption fluorescence and decay time measurement 825–8
Nd^{3+}: glass, stimulated emission cross section, composition dependence 1642–9
Glow discharges, *see Discharges, electric/glows*
Gold
film adhesion to glass and MgO, tangential shear measurement 1977–90
Au–ZnS–Au structures, negative resistance and memory effects 468–79
Gunn devices, *see Gunn effect; Microwave techniques and devices; Semiconductor devices*
Gunn effect
diode, generalized, equivalent circuit and domain stability 705–17

Hall effect, *see also Semiconducting materials; Semiconductors*
device using high sensitivity epitaxial GaAs 729–33
semiconductor, group II–IV–VI compounds, electron scattering mechanisms 1025–33
$Cd_xPb_{1-x}Te$ alloy system, mobility 1006–15
Cu alloys, alpha-phase, model for temperature dependence 810–17
GaAs, epitaxial, devices 729–33
GaP and GaP : O films 995–1005
$Mg_xPb_{1-x}Te$ alloy system, mobility 1016–24
Hall mobility, *see Semiconducting materials; Semiconductors*
Harmonic generation, optical, *see Lasers; Nonlinear optics*
Heat losses, *see Heat transfer*
Heat measurement, *see Calorimeters; Calorimetry*
Heat of formation
NiSn electrodeposit, single-phase 1652–6
Heat pumps, *see Heat transfer*
Heat transfer
evaporating spherical drop, stationary, force calculation 680–4
insulator, temperature wave propagation theory 1201–6

Heat treatment, *see also Annealing*
Ni–Fe–Cu–Mo high permeability alloy in vacuum 133–8
Helium
anode spot oscillations 1963–4
laser beam induced breakdown 225–35
plasma, afterglow, effective recombination rate 899–906
He–H_2 admixture, ion mobility 1535–7
He–H_2 admixture, total secondary electron coefficients 338–40
High-pressure phenomena and effects
Bi, pressure-induced phase transformation III–IV 783–6
Holes, *see Crystal electron states; Semiconducting materials; Semiconductors*
Hollow cathode, *see Discharges, electric*
Hydrogen
adsorption on CdS, effect on electrical conductivity 1630–2
discharge, pre-breakdown currents in uniform and non-uniform fields 1550–9
spark discharge, glow phase, axial voltage distribution 168–70
H_2–He admixture, total secondary electron coefficients 338–40
He–H_2 admixture, ion mobility 1535–7
Hydromagnetics, *see Magnetohydrodynamics*
Hysteresis, *see also Dielectric phenomena; Dielectric properties of substances; Magnetization process*
B–H loop, equation derivation and application 1034–9
superconductor, hysteresis losses calculation method and geometry effects 1358–64
Pb–11% Sn, induced ac losses in enhanced Meissner state 354–5

Impact
measurement of initial impact velocity and contact time for two bodies 160–3
Imperfections in solids, *see Alloys; Crystal imperfections*
Indium
internal friction 541–4
Instruments
rheometer design, theory 190–203
transformers, dc thermomagnetic and thermoelectric 217–24
transformer, hybrid thermoelectric–thermomagnetic L1–3
Insulating materials, electrical, *see Dielectric properties of substances*
Insulating materials, thermal, *see Conductivity, thermal*
Interference spectroscopy, see *Spectroscopy*
Interferometers, light
Michelson, turbulence effect on visibility of fringes 485–8
Interferometry, light
thickness measurement of thin films, interpretation of fringes 741–7
Intermetallic compounds, *see Alloys; Semiconducting materials and under the compounds and alloys of the individual metals*
Internal friction
complex relaxation spectra, computer analysis 1460–9
In, temperature dependence, mechanism 541–4
liquids, *see Viscosity of liquids*
Internal stresses, *see Stresses, internal*
Ion beams, *see also Energy loss of particles*
sputtering for sharpening of field emitter tips 118–23
W crystal, penetration of Kr, computer simulation 1681–6
Ion optics
canal ion sources design considering aperture lens effects 329–31
Ion sources
canal, design considering aperture lens effects 329–31
Ion velocity
He–H_2 admixture, ion mobility 1535–7
Ionization
laser beam induced breakdown in He and Ne 225–35
gases, *see also Plasma*
air, dry, currents growth at high values of E/N 494–503
shock waves, ionization measurement using microwave techniques 854–68
He–H_2 admixture, total secondary electron coefficients 338–40
Irasers, *see Lasers*
Iron
magnetomechanical effects 1040–8
$FeL_{II,III}$ x-ray emission spectra of metallic iron and haematite by electron microprobe 147–59
Iron alloys, *see also Iron compounds*
Cu–Ni–Fe, magnetic hardening and phase segregation 586–92
Fe–C, magnetomechanical effects 1040–8
Ni–Fe–Cu–Mo, domain structure, permeability spectra 1221–34
Ni–Fe–Cu–Mo, magnetic domains and high permeability 723–8

Iron compounds, *see also Iron alloys*
haematite, $Fe_{II,III}$ x-ray emission spectra by electron microprobe 147–59
$FeCoCrC_4$ spinel, ionic structure 1218–20

Kink bands, *see Crystal imperfections/dislocations; Plastic deformation*
Krypton
ion beam penetration in W single crystal 1681–6

Langmuir probes
double-probe method of plasma density measurement 1695–701
thermal boundary layer effects on measurement in flowing gases 1702–9
Laser beam applications
Doppler velocity measurements in laminar diffusion flames 738–40
liquid flow measurement under electrostatic stress, laser-Doppler method L53–5
metallurgical, thermo-mechanical damage induced by lasers 787–92
spark gap triggering, effect of cathode material 344–7
Laser beam effects
hypothermal material ejection plume from solid target 545–51
ionization growth and breakdown in He and Ne 225–35
plasma production for spectroscopy and spectrochemical analysis 1527–34
plasma production mechanism 545–51
polymethylmethacrylate, oriented optical damage 1650–1
Laser transitions, *see Stimulated emission*
Lasers, *see also Stimulated emission*
phase modulated axial modes in passive cavity 1092–9
gaseous
Ar, segmented metal discharge tubes 907–15
CO_2, transversely excited, gain measurement, 500 Torr 882–7
He–Ne, two-layer anti-reflection coatings 64–71
Lead
films, very thin, initial structure determination by electron diffraction 773–82
Lead compounds
$Cd_xPb_{1-x}Te$ alloy system, heavy-mass hole conduction 1006–15
$Mg_xPb_{1-x}Te$ alloy system, electrical and optical properties 1016–24
PbS films, structure defects, photosensitivity dependence 1968–70
Pb–11% Sn, in enhanced Meissner state, induced ac losses 354–5
Light modulation
electro-optic modulator using class $42m$ crystal, performance defects 1637–41
Lightning
discharge, multiple return strokes, impulse magnetic flux density 1252–5
Linewidths, *see Spectral line breadth*
Liquid flow, *see Flow/liquids*
Liquid helium, *see Helium*
Lithium
deuteron trapping efficiency 672–6
Lithium compounds
$LiIO_3$, solution growth 1582–5
lithium fluoride
thermoluminescence, intensity variation related to Ti distribution 1245–51
thermoluminescent phosphor, supralinearity and sensitization L31–3
thermoluminescent phosphor, supralinearity and sensitization L33–5
thermoluminescent phosphor, supralinearity and sensitization L59–60
thermoluminescent supralinearity and sensitization 598–607
Localized states, *see Crystal electron states*
Luminescence, *see also Fluorescence; Stimulated emission*
Cs pulsed discharge, spontaneous emission L55–9
solids, inorganic
phosphor efficiency related to current density 734–7
LiF, thermoluminescence, intensity variation related to Ti distribution 1245–51
LiF thermoluminescent phosphor, supralinearity and sensitization L31–3
LiF thermoluminescent phosphor, supralinearity and sensitization L33–5
LiF thermoluminescent phosphor, supralinearity and sensitization L59–60
LiF, thermoluminescent supralinearity and sensitization 598–607
$Sr_3(PO_4)_2:Tb^{3+}$, cathodoluminescence observation 840–53
ZnS:Ag, phosphor efficiency related to current density 734–7

ZnS: Cu, Mn phosphors, photoluminescence, decay characteristics, trap depths 1824–9

Machines, electrical, *see Electrical machines*
Macromolecules, *see also Polymers*
ellipsoidal in solution, light scattering 72–7
Magnesium compounds
MgF_2 film anti-reflection coating for He–Ne laser 64–71
MgO, adhesion of metal films, tangential shear measurement 1977–90
MgO, slip system 1586–8
$Mg_xPb_{1-x}Te$ alloy system, electrical and optical properties 1016–24
Magnetic anisotropy
Ni film 574–85
Magnetic domains, *see Domains*
Magnetic fields
arc, low velocity, under the influence of weak magnetic fields 753–8
vacuum distributions for slotted cylindrical shell carrying axial current 332–7
Magnetic films, *see Films, solid/magnetic properties*
Magnetic hysteresis, *see Magnetization process*
Magnetic permeability
ferromagnetic laminations, anisotropic, dependence on magnetization direction 1797–811
Ni–Fe–Cu–Mo alloy, heat treatment in vacuum 133–8
Ni–Fe–Cu–Mo alloys 723–8
Magnetic properties of substances, *see also Films, solid/magnetic properties; Magnetic anisotropy; Magnetic permeability*
$Zn_{1-x}Mn_xFe_2O_4$, disaccommodation, temperature spectrum 1239–44
ferromagnetic
film, anisotropy 574–85
permeability frequency dependence for Polivanov domain model 1235–8
Cu–Ni–Fe(Co) alloys, magnetic hardening and phase segregation 586–92
Ni–Fe–Cu–Mo alloys, magnetic domains and high permeability 723–8
Ni–Fe–Cu–Mo alloy, domain structure permeability spectra 1221–34
Fe, magnetomechanical effects 1040–8
Fe–C alloys, magnetomechanical effects 1040–8

Magnetization process
permeability frequency dependence for Polivanov domain model 1235–8
Pb–11% Sn, curves at 4·2 K in enhanced Meissner state 354–5
$Zn_{1-x}Mn_xFe_2O_4$, disaccommodation, temperature spectrum 1239–44
Magnetization state, *see also Domains; Magnetic anisotropy; Magnetic permeability*
ferromagnetic laminations, anisotropic, permeability and power loss during cyclic magnetization 1797–811
spherical particles, magnetostatic energies 1624–9
Magnetocaloric effects, *see Magnetothermal effects*
Magnetocrystalline anisotropy, *see Magnetic properties of substances; Magnetization state*
Magnetogasdynamics, *see Magneto-hydrodynamics*
Magnetohydrodynamics, *see also Electrohydrodynamics; Plasma/magnetohydrodynamics*
induction velometry with two-dimensional nonuniformities of velocity and magnetic field 518–24
induction velometry, two-dimensional, potential function L39–42
Magnetomechanical effects, *see also Magnetostriction*
Fe and Fe: C alloys, mechanisms 1040–8
Magnetoresistance
semiconductor, GaAs, geometrical magnetoresistance scattering factor L29–31
thermocouple wires 1612–6
GaAs, geometrical magnetoresistance scattering factor L29–31
$Mg_xPb_{1-x}Te$ alloy system 1016–24
Magnetostriction
Ni film 574–85
Magnetothermal effects
dc transformer 217–24
group II–IV–VI compounds, electron scattering mechanisms 1025–33
hybrid thermoelectric–thermomagnetic transformer L1–3
Cd_3As_2–NiAs, Nernst effect thermal radiation detector 869–75
Magnetrons, *see Electron tubes; Microwave techniques and devices*
Manganese compounds
$Zn_{1-x}Mn_xFe_2O_4$, disaccommodation, temperature spectrum 1239–44
Markov processes, *see Statistical analysis*

Masers
molecular beam, operation with electret focusers L44–6
NH_3, with parallel plate and conical types of open resonator L23–5
NH_3 beam, oscillation transient L42–4
NH_3 beam, operation with electret focusers L44–6
optical, *see Lasers*
Mass spectra
He–H_2 admixture, ion mobility 1535–7
Materials testing, *see Mechanical strength*
Mechanical strength, *see also Elasticity*
Hertzian fracture test 1567–81
shear
composite, fibre reinforced brittle matrix 1737–46
composite, fibre reinforced, carbon-resin bond properties 1747–53
liquid film 433–40
Mercury
arc, cathode fall in potential and space 677–9
compressibility, isothermal, precise measurement 951–5
positive column, modulated, neutral density observations using 2537 Å line 348–50
Mercury compounds
$Cd_xHg_{1-x}Te$ alloys, intrinsic carrier concentration 697–704
HgS thin films, optical dispersion and absorption constants 178–9
Metal–insulator–semiconductor structures and devices
capacitor, surface-state density and surface potential measurement method 1370–5
capacitor, surface-state density and surface potential measurement method 1376–89
electroforming in air at atmospheric pressure L49–52
tunnel MOS diodes, interface effects 1589–601
tunnel MOS diodes, thermal equilibrium considerations 1602–11
Au–ZnS–Au, negative resistance and memory effects 468–79
Metallurgy
metal working applications, design of high-intensity radial vibrators 212–6
Metals
dislocation damage by spark cutting 967–73
dislocation damping, strain amplitude 2017–21
film adhesion to glass and MgO, tangential shear measurement 1977–90
film, uneven vacuum deposition 2015–6
spark machining, dislocation damage estimation 967–73
Microanalysis, *see Chemical analysis*
Microwave techniques and devices
ionization measurement in shock and detonation waves using microwave cavity techniques 854–68
Modulation of light, *see Light modulation*
Molecular spectra, *see Spectra/inorganic molecules*
Molecules, *see also Spectra*
polyethylene, drawn, structure from n.m.r. fourth moment measurements 88–101
dissociation
plasma discharge, constricted glow 1520–6
Molybdenum compounds
MoS_2 cleavage surface properties 456–64
Ni–Fe–Cu–Mo alloys, magnetic domains and high permeability 723–8
Ni–Fe–Cu–Mo alloy, domain structure, permeability spectra 1221–34
Monte Carlo method, *see Statistical analysis*
Mossbauer effect
sources, narrow line of ^{57}Co in metallic matrices, preparation 835–9

Neodymium
Nd^{3+} in glass, stimulated emission cross section, composition dependence 1642–9
Neon
ion sputtering sharpening of W field emitter tips 118–23
laser beam induced breakdown 225–35
^{20}Ne–CH_4 system, thermal diffusion factor measurement 78–82
Neutron moderation
water, light and heavy, slowing down times 1843–55
Nb, displacement damage, related to fusion reactor wall material 1107–13
Newtonian fluids, *see Fluids*
Nickel
electrodeposit, structure and crystal growth on polished Cu 2057–65
epitaxy and oblique face development on Cu cube face 1167–75
film, magnetic anisotropy 574–85
optical constants of thin films, photometric determination 829–34

thin film on Ag, behaviour on annealing 351–3
Nickel alloys
Cu–Ni films, homogeneous, formation in ultra-high vacuum 1196–200
Cu–Ni–Fe(Co), magnetic hardening and phase segregation 586–92
Ni–Co, electron probe microanalysis corrections 1439–47
Ni–Fe–Cu–Mo, domain structure, permeability spectra 1221–34
Ni–Fe–Cu–Mo, heat treatment in vacuum 133–8
Ni–Fe–Cu–Mo, magnetic domains and high permeability 723–8
NiSn electrodeposit, heat of formation 1652–6
Niobium, *see also Superconducting materials*
neutron displacement damage related to fusion reactor wall material 1107–13
Nitrogen
spark discharge, glow phase, axial voltage distribution 168–70
transient discharge, glow duration 1147–51
Nitrogen compounds
ammonia, maser, operation with electret focusers L44–6
ammonia, maser, oscillation transient L42–4
ammonia, maser, with parallel plate and conical types of open resonator L23–5
Nonlinear optics
diffusing materials, absorption determination by photon diffusion model 1049–56
photoconductor, CdS, double photon absorption 1820–3
CdS, double-photon absorption 1820–3
Nuclear reactors, fission
wall material, Nb, neutron displacement damage 1107–13
Nuclear–solid interactions, *see Nucleus*
Nucleus
^{57}Co in various metallic matrices, preparation of narrow Mossbauer sources 835–9

Optical constants, *see also Absorption/light; Reflectivity*
film, measurement by optimized reflection radio method 1419–25
films, thin, photometric determination 829–34
measurement by reflectance method, error analysis 1100–4
HgS thin films 178–9
Optical dispersion, *see Dispersion, optical*
Optical fibres, *see Fibres/optical*
Optical materials
polymethylmethacrylate, oriented optical damage 1650–1
thiogallates, crystal growth 1320–4
$LiIO_3$, solution growth 1582–5
Optical properties of substances
$Cd_{3-x}Zn_xAs_2$, electron transport and optical properties 793–809
Optical quantum generators, *see Lasers*
Organic compounds, *see also Macromolecules; Polymers*
alcohols, measurement of complex permittivity at 890·8 GHz L21–2
benzyl alcohol, flowing, electric currents 1718–21
n-hexane, non-stationary pulse conduction L47–8
n-hexane, slow carrier mobilities 956–8
hydrocarbon gases, saturated, sparking potentials 1126–33
n-pentanol, dielectric relaxation 525–30
transformer oil, conduction current pulses 446–51
triglycine sulphate targets for thermal imaging camera tubes 1898–909
CH_4–^{20}Ne system, thermal diffusion factor measurement 78–82
Oxygen
O^-–O_2 collisions, low-energy, electron transfer 1513–9
O_2^-–O_2 collisions, low-energy, electron transfer 1513–9

Paraelectric materials, *see Dielectric properties of substances*
Paramagnetic resonance and relaxation, *see also Lasers; Masers*
C fibres, polyacrylonitrile based 1426–38
Particle range, *see Energy loss of particles*
Particle size
aerosol, measurement using Pollak condensation nucleus counter 531–8
Particle spectrometers
electron beam, for measurement of angular distribution of plasma losses in thin films 54–63
Permeability, magnetic, *see Magnetic properties of substances; Magnetization process*
Permittivity
alcohols, at 890·8 GHz, complex permittivity measurements L21–2
composite dielectric, theory 318–28
KNO_3, paraelectric phase 1792–6
Phase flow, *see Flow*

Phase transformations, solid state
Bi, pressure induced III–IV transition 783–6
Cu–Ni–Fe(Co) alloys, phase segregation, relation to magnetic hardening 586–92
Phonons
polymethylmethacrylate, oriented optical damage 1650–1
zero phonon lines broadened by point defect strain fields, approximate widths 1340–5
Photocathodes, *see Cathodes*
Photoconductivity
CdS, double-photon-stimulated photodonductivity 1820–3
PbS films, structure defects dependence 1968–70
SnS_2, spectral response 718–22
Photoelectrets, *see Electrets*
Photoelectric emission, *see Electron emission/photoelectric*
Photometry
optical constants of thin films, photometric determination 829–34
Physical effects of radiations
thermo-mechanical damage due to laser beams 787–92
Piezoelectricity
transducer, CdS, thin film, precipitation under electron bombardment 1880–5
CdS transducer, thin film, precipitation under electron bombardment 1880–5
Piles, nuclear fission, *see Nuclear reactors, fission*
Pinch effect, *see Discharges, electric*
Plasma, *see also Discharges, electric*
discharge column, high-power constricted, parameters 400–7
discharge, constricted glow, molecule dissociation 1520–6
discharge, pulsed gas, in crossed fields, spectroscopic study 1545–9
losses in thin films, angular distribution measurement using electron beam spectrometer 54–63
third harmonic generation due to interaction of microwave in non-steady state 164–7
Ar induction discharge, local thermal equilibrium 916–29
Ar, spectral line transition probabilities 930–7
Cs pulsed discharge, spontaneous emission L55–9
He afterglow, effective recombination rate 899–906
devices
jet, Ar, probe and spectroscopic measurement comparison 452–5
pinch machines, fringing fields calculation 332–7
Ar jet, probe and spectroscopic measurement comparison 452–5
Ar jet, probe and spectroscopic measurement comparison L37–8
diagnostics, *see also Langmuir probes*
density measurement methods comparison 1695–701
enthalpy probes behaviour in fluctuating temperature gradient 877–81
ion temperature measurement in PROTO-CLEO stellarator 658–65
jet, Ar, probe and spectroscopic measurement comparison 452–5
Langmuir probe measurement in flowing gases, thermal boundary layer effects 1702–9
stagnation probe measurement in flowing systems 1687–94
Ar jet, probe and spectroscopic measurement comparison 452–5
Ar jet, probe and spectroscopic measurement comparison L37–8
electromagnetic waves
amplitude modulation by acoustic waves in dispersive magnetoplasma 1083–91
dipole, centre-fed, radiation resistance L9–13
magnetohydrodynamics
duct flow, magneto-viscous interaction effects 1913–28
duct flow at moderate Hartmann number 1929–39
oscillations
beam–plasma interactions in hollow cathode 1291–301
production
laser–solid interaction 545–51
laser–solid interaction, application to spectroscopy and spectrochemical analysis 1527–34
Plasma guns, *see Plasma/devices*
Plasma waves, *see Plasma/oscillations*
Plastic deformation
MgO, dislocation configuration, slip system 1586–8
Plastic flow
metal, strain amplitude dislocation damping 2017–21
Plastics, *see also Polymers*
Perspex, dielectric breakdown in non-uniform fields 818–21
perspex, elastic constants 2002–14

polythene, impulse electric strength, relation to voltage rise time L19–20
stress–strain curves, with and without fibre reinforcement 272–86
Point defects, *see Crystal imperfections*
Polymers, *see also Plastics*
glassy, oriented, elastic constants 2002–14
polycarbonate, elastic constants 2002–14
polyethylene, drawn, molecular structure from nmr fourth moment measurements 88–101
polyethylene and polyethylene terephthalate films, electrical conductivity 1346–57
polymethylmethacrylate, oriented optical damage 1650–1
polystyrene, elastic constants 2002–14
Population inversion, *see Lasers; Masers*
Porosity, *see Porous materials*
Porous materials
capillary model, two-phase flow in 3D network with Gaussian radius distribution 181–9
Positive column, *see Discharges, electric*
Potassium compounds
KNO_2, KNO_3, direct current conductivity, dielectric constant, losses, anomalies 560–7
KNO_3, dielectric dispersion in paraelectric phase 1792–6
$KNbO_3$, domain structure associated with step ladders on pseudocubic planes 1633–6
$KNbO_3$ single crystals, domain structures by interferometry 124–32
potassium bromide
discharge propagation through single crystals 292–7
etching of cleavage faces and spiral etch pits 985–7
Powder metallurgy, *see Metallurgy*
Powders, *see also Particle size*
dielectric constant evaluation by Bottcher's formula 822–4
Precipitation
dust particles, electrostatic precipitation in wake of perforated plate 1499–512
electrostatic dust precipitator, two-stage, performance evaluation using light transmission technique 1835–42
Probes, *see Plasma/diagnostics*
stagnation, flowing plasma observation 1687–94
Probes, Langmuir, *see Langmuir probes*
Propagation, *see Electromagnetic wave propagation*
Proton magnetic resonance
polyethylene, drawn, molecular structure from fourth moment measurements 88–101
Pyroelectricity
triglycine sulphate targets for thermal imaging camera tubes 1898–909

Quantum electronics, *see Lasers; Masers*

Radiation damage, *see Physical effects of radiation*
Radiation detectors, *see also Photometry*
Nernst effect thermal radiation detector 869–75
Cd_3As_2–NiAs, Nernst effect thermal radiation detector 869–75
Radiowave spectra, *see Paramagnetic resonance and relaxation; Spectra*
Range of particles, *see Energy loss of particles*
Reactors, *see Nuclear reactors, fission*
Rectifiers, *see also Electron tubes; Semiconducting devices*
Hg arc valve, current distribution 408–13
Reflection, light, *see also Films, solid/optical properties*
earth materials, characteristic reflection matrices determination 1057–62
film, optical constants measurement by optimized reflection ratio method 1419–25
scattering and absorbing media, Kubelka–Munk reflectance theory 1105–6
Reflectivity, *see also Films, solid/optical properties; Optical constants*
hypersonic shock waves at 1 atmosphere 1487–92
Refractive index
alcohols, measurement of complex permittivity at 890·8 GHz L21–2
semiconductor, group I–III–VI_2 compounds 1182–5
Refractories
cathodes material in laser triggered spark gap 344–7
Refractory materials, *see Refractories*
Remanence, *see Magnetization state*
Replica techniques, *see Electron microscopy*
Resistance, electrical, *see Conductivity, electrical*
Resistivity, *see Conductivity, electrical*
Resonance spectra, *see Spectra*
Resonance, paramagnetic, *see Paramagnetic resonance and relaxation*
Resonance, proton, *see Proton magnetic resonance*

Rheology
rheometer designs for elastico-viscous liquid 1863–79
rheometer design, theory 190–203
Rupture, *see Mechanical strength*

Sand
optical reflection, characteristic reflection matrices determination 1057–62
Scattering, light
polymethylmethacrylate, oriented optical damage, Brillouin spectra 1650–1
solutions of ellipsoidal macromolecules, angular dependence of intensity 72–7
Scattering, particles, *see also Collision processes; Energy loss of particles*
plural scattering, small-angle, Monte Carlo calculations 1856–62
Schottky diodes, *see Semiconducting materials/silicon*
Selenium compounds
Sn–Se films, vacuum deposition 1991–7
Semiconducting devices, *see also Lasers*
bulk, scanning electron microscope conduction-mode signals 2031–8
cathode, multi-emitter p–n junction, activation 2022–30
manufacture, SiO_2 films as diffusion masks for boron 1722–30
GaAs, transferred electron, scanning electron microscope conduction-mode signals 2031–8
diodes
avalanche, small signal analysis of p–n junction in breakdown 2041–8
Gunn, generalized, equivalent circuit and domain stability 705–17
MOS, tunnel, interface effects 1589–601
MOS, tunnel, thermal equilibrium considerations 1602–11
Schottky, interface effects 1589–601
tunnel, MOS, interface effects 1589–601
tunnel, MOS, thermal equilibrium considerations 1602–11
Al–Ge–Au, two-carrier currents 480–4
junctions
p–n, depth measurement using scanning electron microscope 2039–40
SiC p–n, cold cathode, multi-emitter, activation 2022–30
tunnel and interface devices
tunnel MOS diodes, interface effects 1589–601
tunnel MOS diodes, thermal equilibrium considerations 1602–11
Semiconducting materials, *see also Photoconductivity*
glass, thermal mechanism of switching 1401–10
group I–III–VI_2 compounds, growth and properties 1182–5
group II–IV–VI compounds, electron scattering mechanisms 1025–33
liquid Tl_2Te, thermal conduction mechanisms 83–7
$BaTiO_3$, potential barriers 690–6
$Cd_xHg_{1-x}Te$ alloys, intrinsic carrier concentration 697–704
$Cd_xPb_{1-x}Te$ alloy system, heavy-mass hole conduction 1006–15
CdS, double-photon absorption, photoconductivity 1820–3
CdS film, conductivity, hydrogen adsorption effect 1630–2
GaP and GaP : O films, Hall coefficient, conductivity, donor levels, carrier concentration 995–1005
Ge–Si alloys, doped carrier concentration and conduction mobility, temperature dependence 1816–9
$Mg_xPb_{1-x}Te$ alloy system, electrical and optical properties 1016–24
SiC p–n junction cold cathode, multi-emitter, activation 2022–30
SiO films, evaporated, electronic conduction, Poole–Frenkel effect 988–94
SnS_2, electrical conductivity and photoconductivity 718–22
gallium arsenide
Hall effect devices 729–33
magnetoresistance, geometrical, scattering factor L29–31
photocathode on sapphire, optimum thickness 308–17
transferred electron devices, scanning electron microscope conduction-mode signals 2031–8
germanium
diode, Al–Ge–Au, two-carrier currents 480–4
n-type, microwave Faraday effect anisotropy 1830–4
surface barrier, Al–Ge, slow voltage-induced barrier height changes 1776–84
indium arsenide
microwave harmonic generation in n-type 552–9
silicon
Schottky diodes, interface effects 1589–601

Semiconductor-metal boundaries
Al–Ge surface barrier, slow voltage-induced barrier height changes 1776–84
Semiconductors, *see also Crystal electron states; Photoconductivity*
space charge, equilibrium distribution 2049–50
Shear strength, *see Mechanical strength/shear*
Shock tubes
CO, in shock-tube, temperature measurement using infrared spectra 759–68
Shock waves, *see also Detonation*
detonation, marginal planar, strength of transverse waves 364–71
hypersonic, reflectivity and curvature at 1 atmosphere 1487–92
ionization measurement using microwave techniques in shock and detonation waves 854–68
linear shock velocity/particle velocity relationship 1077–82
Silicon, *see also Semiconducting devices; Semiconducting materials/silicon*
emissivity, total, high temperature 1207–9
Silicon compounds
Ge–Si alloys, doped, carrier concentration and conduction mobility, temperature dependence 1816–9
SiC p–n junction cold cathode, multi-emitter, activation 2022–30
SiO films, evaporated, electronic conduction, Poole–Frenkel effect 988–94
SiO_2 films on Si, as diffusion masks for boron 1722–30
Silver
film, growth and structure, thickness dependence 1971–6
thin film on Ni, behaviour on annealing 351–3
Silver compounds
$AgGaS_2$, crystal growth 1320–4
Slip
MgO, etch-pit observation 1586–8
$SrSO_4$, active slip planes computation 1998–2001
Sodium compounds
NaCl, secondary electron emission, energy distribution, temperature dependence 1617–23
Soil
optical reflection, characteristic reflection matrices determination 1057–62
Solutions, *see also Liquids*
ellipsoidal macromolecules, light scattering 72–7
Space charge
liquid, space-charge-limited injection 1306–14
solid
Frenkel effect enhancement of space-charge-limited current 1812–5
gelatin gel, IV characteristics, space-charge-limited phenomena 1754–61
semiconductor, equilibrium distribution 2049–50
Sparks, electric, *see also Breakdown, electric*
breakdown, arc-forming stages observation 1302–5
gap recovery measurements, influence of formative time lags 341–3
glow phase, axial voltage distribution in H_2, N_2, CO_2 168–70
hydrocarbon gases, saturated, sparking potentials 1126–33
laser triggered spark gap, effect of cathode material 344–7
Spectra, *see also Spectrochemical analysis Spectroscopy; X-ray spectra*
zero phonon lines broadened by point defect strain fields, approximate widths 1340–5
atoms
Ar plasma, spectral line transition probabilities 930–7
Cs pulsed discharge, spontaneous emission L55–9
inorganic molecules
CO in shock tube, use of ir spectra to determine temperature 759–68
inorganic solids
glass, Ca metaphosphate, Sn^{2+}, Sb^{3+} doped, absorption bands 825–8
photoconductor, CdS, double-photon absorption 1820–3
CdS, double-photon absorption 1820–3
Spectral line breadth, *see also Doppler effect*
profile analysis with reflection echelon 489–93
^{57}Co in various metallic matrices, preparation of narrow Mössbauer sources 835–9
Spectrochemical analysis, *see also Spectroscopy*
discharge excitation source 1710–7
Spectroscopy, *see also Spectra*
atomic absorption for detection of sputtered atoms 246–52
discharge excitation source 1710–7

infrared, resolution of multipeak data in fibre science, computer program 259–63
light source, plasma generated by laser interaction with solid target 1527–34
Mössbauer effect, ^{57}Co in metallic matrices, preparation of narrow sources 835–9
Spherical aberration, *see Aberrations, optical*
Sprays, *see also Aerosols; Drops*
fuel droplets, monodisperse, production by electrical dispersion 1159–66
Sputtering
detection of sputtered atoms by atomic absorption spectroscopy 246–52
ion sharpening of field emitter tips 118–23
Statistical analysis
Monte Carlo calculations of small-angle plural scattering 1856–62
polynomial curve fitting, truncating criteria 357–63
Stellarators
PROTO-CLEO, ion temperature measurement using multi-grid electrostatic analyzer 658–65
Stimulated emission, *see also Lasers; Luminescence; Masers*
Nd^{3+}: glass, cross section, composition dependence 1642–9
Stopping power, *see Energy loss of particles*
Streamers, *see Discharges, electric*
Strength, *see Electric strength; Mechanical strength*
Stress effects
contact potential changes in Cu and Al 298–307
Stress/strain relations, *see also Elastic constants*
plastics and fibre-reinforced plastics, dynamic curves 272–86
Stresses, internal
carbon fibre–epoxy resin composite, stress wave propagation L5–6
Hertzian fracture test 1567–81
Striations, *see Discharges, electric*
Strontium compounds
SrF_2: Tb, thermoluminescence glow peaks, numerical curve fitting of general order kinetics 287–91
$Sr_3(PO_4)_2$: Tb^{3+}, cathodoluminescence observation 840–53
$SrSO_4$, dislocation distribution around indentation 1998–2001
Superconducting magnets
ac losses in machine armatures 1769–75
Superconducting materials
Nb film, ac losses and flux penetration 1762–8
Pb–11% Sn, induced ac losses in enhanced Meissner state 354–5
Superconductivity
hysteresis losses calculation method and geometry effects 1358–64
intermediate state, current-induced structure 1365–9
Surface diffusion, *see Diffusion in gases; Surface phenomena*
Surface energy, *see also Crystal electron states/surface*
elastic solid, adhesion dependency 1186–95
Surface phenomena, *see also Adsorption; Electron emission*
electron irradiation, hypothermal material ejection plume from solid target 545–51
gas–solid surface interactions, phenomenological study 1315–9
laser irradiation, hypothermal material ejection plume from solid target 545–51
Surface structure
Ag film, thickness dependence 1971–6
MoS_2 cleavage surface properties 456–64
Surface texture, *see Surface structure*

Temperature
CO gas in shock tube, temperature measurement from ir spectra 759–68
Temperature distribution
gas diagnostics, ultrasonic method using optical beam as probe 414–22
insulator, temperature wave propagation theory 1201–6
mine fire, moving, downwind distribution 1493–8
Terbium
Tb^{3+} in $Sr_3(PO_4)_2$, cathodoluminescence observation 840–53
Thallium compounds
Tl_2Te liquid semiconductor, thermal conductivity mechanisms 83–7
Thermal conductivity, *see Conductivity, thermal*
Thermal decomposition, *see Chemical reactions*
Thermal expansion
Bi_2SeTe_2, layer-structure unit cell 685–9
Thermal spikes, *see Crystal imperfections; Physical effects of radiation*
Thermionic emission, *see Electron emission*
Thermionic tubes, *see Electron tubes*

Thermocouples
wire resistivity and Seebeck coefficients, magnetic field effects 1612–6
Thermoelectricity, *see also Thermocouples*
dc transformer 214–24
group II–IV–VI compounds, electron scattering mechanisms 1025–33
hybrid thermoelectric–thermomagnetic transformer L1–3
semiconductor, Ge–Si alloys, Seebeck coefficient 1816–9
stimulated conductivity, T^2 rate of heating under charge neutrality condition 593–7
$Cd_xPb_{1-x}Te$ alloy system, thermopower 1006–15
Ge–Si alloys, Seebeck coefficient 1816–9
$Mg_xPb_{1-x}Te$ alloy system, thermopower 1016–24
Thermoluminescence
glow peaks, general order kinetics, numerical curve fitting 287–91
LiF, intensity variation related to Ti distribution 1245–51
LiF phosphor, supralinearity and sensitization 598–607
LiF phosphor, supralinearity and sensitization L31–3
LiF phosphor, supralinearity and sensitization L33–5
LiF phosphor, supralinearity and sensitization L59–60
Thermomagnetic effects, *see Magnetothermal effects*
Thermonuclear devices, *see Plasma/devices*
Thickness measurement, *see also Particle size*
films, thin, interferometric measurement, interpretation of fringes 741–7
Thin film devices
transducer, CdS, precipitation under electron bombardment 1880–5
Thin films, *see Films, solid*
Time measurement
contact of initial impact of two bodies 160–3
Tin compounds
Pb–11% Sn, in enhanced Meissner state, induced ac losses 354–5
SnS_2, electrical conductivity and photoconductivity 718–22
Sn–Se films, vacuum deposition 1991–7
Titanium
in LiF, thermoluminescence intensity variation related to Ti distribution 1245–51
Transducers
CdS, thin film, precipitation under electron bombardment 1880–5
Transmission, electromagnetic waves, *see Electromagnetic wave propagation*
Transmission, light
electrostatic dust precipitator testing technique 1835–42
electrostatic dust precipitator testing technique 1835–42
Transport processes
air, dry, ratio of electron diffusion to mobility 769–72
Triboelectric emission, *see Electron emission*
Tungsten
adsorption of uranium on tungsten single crystal planes 102–13
adsorption of zirconium on tungsten single crystal planes 114–7
field emitter tips, sharpening by neon ion sputtering 118–23
ion beam penetration into single crystal, computer simulation 1681–6
Tunnel diodes, *see Semiconducting devices/tunnel and interface devices*
Turbulence, *see also Flow*
atmospheric, effect on diffraction of annular aperture 666–71
atmospheric, effect on visibility of fringes in Michelson's interferometer 485–8
Turbulent flow, *see Flow*

Ultrasonics, *see also separate headings, eg Absorption*
gas diagnostic method using optical beam as probe 414–22
Uranium
adsorption on tungsten single crystal planes 102–13

Vacuum tubes, *see Electron tubes*
Valence bands, *see Crystal electron states/band structure*
Vapour pressure
water, saturation vapour pressure, −50 to 140 °C L15–8
Velocity, ultrasonic waves
semiconductor, Ge, hypersonic velocity measurement, low temperature 1886
Ge, hypersonic velocity measurement, low temperature 1886
Velocity measurement
impact, for collision between two bodies 160–3
rheometer design, theory 190–203
Vibrations
radial vibrators, high intensity, for metal working applications 212–6

Viscometers
rheometer designs for elastico-viscous liquid 1863–79
Viscosity of liquids
measurement using ultrasonic attenuation L3–4
Vlasov equation, *see Plasma*

Water
heavy, neutron slowing down times 1843–55
neutron slowing down times 1843–55
vapour, breakdown potential between plane parallel electrodes 1134–9
vapour pressure, saturation, −50 to 140 °C L15–8
Waveguides, *see Electromagnetic wave propagation*
Work function, *see also Electron emission*
W field emitter with adsorption of U 102–13
W field emitter with adsorption of Zr 114–7

X-ray crystallographic calculation methods
integral breadth analysis of line profiles, instrumental broadening correction 1063–5
X-ray diffraction
fibres, resolution of multipeak data, computer program 259–63
X-ray examination of materials
alloys, cold-worked, diffraction line profiles, integral breadth analysis 1063–5
X-ray photoeffect, *see Electron emission/photoelectric*
X-ray spectra
microanalysis, new network scheme for pulse height analysis 748–52
$FeL_{II,III}$ of metallic iron and haematite by electron microprobe 147–59

Young's modulus, *see Elastic constants*

Zinc compounds
$Zn_{1-x}Mn_xFe_2O_4$, disaccommodation, temperature spectrum 1239–44
zinc sulphide
Au–ZnS–Au structures, negative resistance and memory effects 468–79
ZnS : Ag, phosphor efficiency related to current density 734–7
ZnS : Cu, Mn phosphors, photoluminescence, decay characteristics, trap depths 1824–9
Zirconium
adsorption on tungsten single crystal planes 114–7
Zone plates, *see Diffraction, light*

Author index with titles

(L) denotes a letter and (R) a research note.

Abbott T.N.G, Bowen G.W. and Walters K: some suggestions for new rheometer designs 190

Acharya H.N. and Misra N.K: structural defects in chemically deposited photo-conducting films of PbS 1968

Acharyya S. and Datta K.K: thermal diffusion in the system ^{20}neon–methane 78

Adachi H, Shibata Y. and Ono S: on electronic conduction through evaporated silicon oxide films 988

Adler L. and Breazeale M.A: threshold of parametrically excited fractional harmonics in a liquid (L) L3

Agarwal B.P. with Patel A.R: spiral etch pits in KBr single crystals (R) 985

Agarwal S.K. with Jain S.C, Borle W.N and Tata S: total emissivity of silicon at high temperatures 1207

Ahmad M.S, Barrow D.E, Little E.A. and Szkopiak Z.C: computer analysis of complex relaxation spectra 1460

Ahmed M.S. and Ley J.M: defects in the performance of electro-optic modulators using glass $\bar{4}2m$ crystals 1637

Ali S.Z. with Kundra K.D: unit-cell data and expansion coefficients of bismuth selenio-telluride 685

Allen D.A, Fells I. and Fletcher F.J: characteristics of diffuse electrical discharges stabilized in flowing air, argon and nitrogen 1710

Allen G.A: the performance of negative electron affinity photocathodes 308

Allnutt J.E, Staniforth J.E. and Calderwood J.H: the complex permittivity of some alcohols at 890·8 GHz (L) L21

Allnutt L.A. with Lapworth K.C. and Pendlebury J.R: temperature measurements in shock-heated carbon monoxide by an infrared technique 759

Ambridge T. and Carter G: the effect of hydrogen adsorption on CdS thin-film conductivity (R) 1630

Anand K.V, McKell H.D. and Northrop D.C: the properties of silicon dioxide films on silicon as diffusion masks for boron 1722

Anderson J.C. with Secemski E: magnetic anisotropy in single-crystal nickel films 574

Arora A.K. with Virmani C.J.K: amplitude modulation of electromagnetic waves by acoustic waves in a dispersive magnetoplasma 1083

Arton K.A.M. and Hlawiczka P: ac superconductive properties and structure of sputtered niobium films 1762

Asano K. and Bright A.W: space-charge-influenced current in a dielectric liquid 1306

Ash R. and Barrer R.M: theory of transport in membranes: I—Steady-state 888

Assabghy F.Y.I. with Robson D. and Ingram D.J.E: an electron spin resonance study of carbon fibres based on polyacrylonitrile 1426

Baboux J.C, Perdrix M, Goutte R. and Guillaud C: emission eléctronique secondaire d'un monocristal de NaCl bombardé par des ions de gaz rares 1617

Baird D.C. with Wiederick H.D. and Mukherjee B.K: structure of the current-induced intermediate state in type I superconductors 1365

Balmor Y. and Harnik E: on the nature of oriented optical damage in polymethylmethacrylate (R) 1650

Banaszuk A. and Bensimon J: observation de l'intensité de la radiation $6p_{1/2}$–6s du césium dans une décharge pulsée à cathode froide (L) L55

Barbe D.F: space-charge-limited current enhanced by Frenkel effect (R) 1812

Barbenza G.H. and Calderwood J.H: dielectric relaxation in n-pentanol 525

Bardo W.S. and Lainé D.C: oscillation transient in a molecular Q-switched ammonia maser (L) L42

Barker K. and Marcer D.J: hollow-cathode discharge characteristics of glow-modulator tubes 1152

Barlow H.M: screened and unscreened axially-cylindrical surface-waves 372

Barrer R.M. with Ash R: theory of transport in membranes: I—Steady-state 888

Barrow D.E. with Ahmad M.S, Little E.A, Szkopiak Z.C: computer analysis of complex relaxation spectra 1460

Bass S.J. with Young M.L: the electrical properties of undoped and oxygen-doped GaP grown by the liquid encapsulation technique 995
Bellau R.V, Chanter R.A. and Dargan C.L: activation of a multi-emitter silicon carbide p–n junction cold cathode 2022
Belmont M.R. and Secker P.E: slow carrier mobilities in *n*-hexane 956
Bensimon J. with Banaszuk A: observation de l'intensité de la radiation $6p_{1/2}$–6s du césium dans une décharge pulsée à cathode froide (L) L55
Bevir M.K: the predicted effects of red blood cells on electromagnetic flowmeter sensitivity 387
Beynon T.D. and Mondal M.A.W: the application of space-dependent multi-group theory to the analysis of neutron slowing down time experiments: I—light and heavy water moderators 1843
Bhat B.M. with Rangarajan L.M. and Bhide G.K: optimization of some parameters for high efficiency caesium–antimony semitransparent photocathodes 568
Bhat H.L. with Patel A.R: distribution of dislocations around indentations in $SrSO_4$ single crystals 1998
Bhatta K.S.M, Duell M.J. and Robertson A.J.B: a study of vacuum breakdown using projections grown on field emitter tips 1390
Bhattacharya P.K. with Rai J: impulse magnetic flux density close to the multiple return strokes of a lightning discharge 1252
Bhide G.K, Rangarajan L.M. and Bhat B.M: optimization of some parameters for high efficiency caesium–antimony semitransparent photocathodes 568
Biborosch L. with Popa G, Petrus O. and Sanduloviciu M: on the impedance of dc gas discharges (R) 1965
Billington E.W. and Brissenden C: dynamic stress–strain curves for various plastics and fibre-reinforced plastics 272
Birss R.R, Faunce C.A. and Isaac E.D: magnetomechanical effects in iron and iron–carbon alloys 1040
Bishop J.E.L: tables of the frequency dependence of permeability for the Polivanov domain model 1235
Bishop J.E.L. and Clay P.M: the dependence of permeability and losses on direction of magnetization in anisotropic ferromagnetic laminations 1797
Bishop J.E.L, Collar P.G. and Lee E.W: magnetic domain studies using permeability spectra: III—Ni–Fe–Cu–Mo alloy 1221
Blood P. and Tree R.J: the scattering factor for geometrical magnetoresistance in GaAs (L) L29
Blott B.H. with Collins R.A: adsorption of uranium on tungsten single crystal planes 102
Blott B.H. with Collins R.A: adsorption of zirconium on tungsten single crystal planes 114
Blow S: the effect of the neutron energy spectrum on neutron displacement damage in niobium 1107
Bokor A. and Leventhall H.G: the measurement of initial impact velocity and contact time (R) 160
Borle W.N. with Jain S.C, Agarwal S.K. and Tata S: total emissivity of silicon at high temperatures 1207
Bowen G.W. with Abbott T.N.G. and Walters K: some suggestions for new rheometer designs 190
Bowman G. with Collins R.A. and Sutherland R.R: electroforming of MIM thin-film devices in air at atmospheric pressure (L) L49
Boyd H.A. and Tedford D.J: the mechanism of breakdown of ambient air in long uniform-field gaps 1140
Boylett F.D.A. and Maclean I.G: cathode fall in potential and space in mercury arcs 677
Breazeale M.A. with Adler L: threshold of parametrically excited fractional harmonics in a liquid (L) L3
Bright A.W. with Asano K: space-charge-influenced current in a dielectric liquid 1306
Brignell J.E. and Buttle A: the mobility of charges photo-injected into a liquid dielectric 1560
Brignell J.E. and Metzmacher K.D: dependence of the statistical breakdown time-lag of a liquid dielectric on electrode geometry 253
Brignell J.E. with Rhodes G.M: non-stationary pulse conduction in a dielectric liquid (L) L47
Brinkworth B.J: on the theory of reflection by scattering and absorbing media (R) 1105
Brissenden C. with Billington E.W: dynamic stress–strain curves for various plastics and fibre reinforced plastics 272

Broadbent J.M. and Walters K: some suggestions for new rheometer designs: II—interpretation of experimental results 1863
Brown C.R, Brown J.B, Enga E. and Halse M.R: contact potential changes produced by very small stresses 298
Brown J.B. with Brown C.R, Enga E. and Halse M.R: contact potential changes produced by very small stresses 298
Büget U: an experimental study of two-carrier currents in short germanium structures 480
Bullough R. with Tewary V.K: carbon fibre composite as collimator and filter for stress waves (L) L5
Burdett C.F: the strain amplitude damping in metals 2017
Buttle A. with Brignell J.E: the mobility of charges photo-injected into a liquid dielectric 1560

Calderwood J.H. with Allnutt J.E. and Staniforth J.E: the complex permittivity of some alcohols at 890·8 GHz (L) L21
Calderwood J.H. with Barbenza G.H: dielectric relaxation in n-pentanol 525
Calderwood J.H. with Mirza J.S. and Smith C.W: sparking potentials of saturated hydrocarbon gases 1126
Calderwood J.H. with Sakai T: the current–voltage characteristics of gel-state materials 1754
Card H.C. and Rhoderick E.H: studies of tunnel MOS diodes: I—interface effects in silicon Schottky diodes 1589
Card H.C. and Rhoderick E.H: studies of tunnel MOS diodes: II—thermal equilibrium considerations 1602
Carey R: magnetostatic energies of spherical particles 1624
Carter G. with Ambridge T: the effect of hydrogen adsorption on CdS thin-film conductivity (R) 1630
Carter G. with Smith A.G. and Pryde M: computer simulation of low-energy ions into single-crystal tungsten 1681
Carter R.G: the design of canal ion sources, taking account of aperture lens effects (R) 329
Chadband W.D, Coelho R. and Debeau J: electrical discharges in liquid dielectrics (R) 539
Chalmers I.D: the transient glow discharge in nitrogen and dry air 1147
Chalmers I.D. and Duffy H: observations of the arc-forming stages of spark breakdown using an image intensifier and converter 1302
Chandra A. with John P.I, Sarkar D.C. and Kumar S: study of rf breakdown characteristics in the presence of parallel electric and magnetic fields (R) 959
Chanter R.A. with Bellau R.V. and Dargan C.L: activation of a multi-emitter silicon carbide p–n junction cold cathode 2022
Chatterji S, Moore N.T. and Jeffery J.W: uneven deposition of vacuum-coated metal film on specimens composed of submicron particles (R) 2015
Chedzey H.A, Marshall D.J, Parfitt H.T. and Robertson D.S: a study of the melt growth of single-crystal thiogallates 1320
Chen H.S. with Takashima T. and Nagaraja Rao C.R: laboratory determination of the characteristic reflection matrices of neutral surfaces (R) 1057
Chen R. with Shenker D: numerical curve fitting of general order kinetics glow peaks 287
Chivers T.C. and Mitchell L.A: on the limiting velocity through parallel bore tubes 1069
Clarke J.K.A. and Spooner T.A: the formation of homogeneous copper–nickel alloy films in ultra-high vacuum 1196
Clarke M. and Dutta P.K: the heat of formation of the single-phase NiSn electrodeposit 1652
Clay P.M. with Bishop J.E.L: the dependence of permeability and losses on direction of magnetization in anisotropic ferromagnetic laminations 1797
Clements R.M. and Smy P.R: comments on 'Comparison of probe and spectroscopic measurements in an argon plasma jet' (L) L37
Clements R.M. and Smy P.R: stagnation probe measurements in flowing plasmas 1687
Coelho R, Chadband W.D. with Debeau J: electrical discharges in liquid dielectrics (R) 539
Coelho R. and Debeau J: properties of the tip–plane configuration 1266
Cohen E. with Nadkarni S.S: high sensitivity Hall plates using epitaxial GaAs (R) 729
Cole R.S. and Jennings J.C.E: an electron beam spectrometer for the measurement of the angular distribution of plasma losses in thin films 54

Collar P.G. with Bishop J.E.L. and Lee E.W: magnetic domain studies using permeability spectra: III—Ni–Fe–Cu–Mo alloy 1221
Collins R.A. and Blott B.H: adsorption of uranium on tungsten single crystal planes 102
Collins R.A. and Blott B.H: adsorption of zirconium on tungsten single crystal planes 114
Collins R.A, Bowman G. and Sutherland R.R: electroforming of MIM thin-film devices in air at atmospheric pressure (L) L49
Collyer A. A. with Hooper G. and Edwards D.H: ionization measurement in reactive shock and detonation waves using microwave techniques 854
Cooper R. and Pulfrey D.L: discharge propagation through single crystals of KBr 292
Cornwell K: the thermal conductivity of molten salts 441
Cox J.B. and Weinberg F.J: on the behaviour of enthalpy probes in fluctuating temperature environments 877
Crick R.A. and Misell D.L: a theoretical consideration of some defects in electron optical images. A formulation of the problem for the incoherent case 1
Crick R.A. with Misell D.L: an estimate of the effect of chromatic aberration in electron microscopy 1668
Crocker A.J. with Jenkins R.M. and Rogers L.M: transport and optical properties of the $Cd_{3-z}Zn_zAs_2$ alloy system 793
Crocker A.J. with Rogers L.M: transport properties of the $Cd_zPb_{1-z}Te$ alloy system 1000
Crocker A.J. with Rogers L.M: transport and optical properties of the $Mg_zPb_{1-z}Te$ alloy system 1016
Curzon F.L. and Gautam M.S: the influence of formative time lags on spark-gap recovery measurements (R) 341

Darby M.I: magnetostatic resonance modes in ferromagnets containing spherical cavities 1411
Dargan C.L. with Chanter R.A. and Bellau R.V: activation of a multi-emitter silicon carbide p–n junction cold cathode 2022
Datta K.K. with Acharyya S: thermal diffusion in the system ^{20}neon–methane 78
Davies G: approximate widths of zero phonon lines broadened by point defect strain fields 1340
Davies W.E.A: the theory of composite dielectrics 318
Davies W.E.A: the elastic constants of a two-phase composite material 1176
Davies W.E.A: the theory of elastic composite materials 1325
Davis N: derivation and application of an equation to the *B–H* loop 1034
De M. with Sen Gupta S.P: on the instrumental broadening correction in integral breadth analysis of x-ray line profiles from cold-worked alloys (R) 1063
Debeau J. with Chadband W.D. and Coelho R: electrical discharges in liquid dielectrics (R) 539
Debeau J. with Coelho R: properties of the tip–plane configuration 1266
De Bock A. with Michiels L. and Laermans C: on CdS thin-film transducers for 9·4 GHz longitudinal waves in corundum precipitated by electron-bombardment evaporation 1880
Delaney C.F.G. with McDonald I.R. and Lamki A.M: the attenuation and backscattering of electron beams by thin films 1210
Delori F.C: phosphor efficiency in relation to current density 734
De Monts de Savasse T. with Gopinath A: on scanning electron microscope conduction-mode signals in bulk semiconductor devices: annular geometry 2031
De Morton M.E: internal friction in indium single crystals 541
Deshmukh K.G. and Ingle S.G: interferometric studies of domain structures in potassium niobate single crystals 124
Deshmukh K.G. and Ingle S.G: domain structures in $KNbO_3$ single crystals associated with step ladders on pseudocubic (001) planes (R) 1633
DeWerd L.A. and Stoebe T.G: comments on 'supralinearity and sensitization of thermoluminescent phosphor lithium fluoride' (L) L31
Dixon A.J. and Ertl M.E: thermal conduction mechanisms in liquid Tl_2Te 83
Djakov B.E. and Holmes R: cathode spot division in vacuum arcs with solid metal cathodes 504
Dubey M.C. with Gupta B.N: effect of spherical aberration on the Fraunhofer diffraction of an optical system illuminated by partially coherent light 1675

Duell M.J. with Bhatta K.S.M. and Robertson A.J.B: a study of vacuum breakdown using projections grown on field emitter tips 1390
Duffy H. with Chalmers I.D: observations of the arc-forming stages of spark breakdown using an image intensifier and converter 1302
Dutta P.K. with Clarke M: the heat of formation of the single-phase NiSn electrodeposit 1652
Dutta P.K. and Wilman H: the structure and growth of silver films condensed at oblique vapour incidence, and their dependence on the film thickness and the residual air pressure 1971

Edels H. with Jones G.R. and Freeman G.H: transient temperature distributions in cylindrical arc columns following abrupt current changes 236
Edwards D.H, Hooper G. and Collyer A.A: ionization measurement in reactive shock and detonation waves using microwave techniques 854
Edwards D.H. and Meddins R.J: the strength of transverse waves in marginal planar detonation waves 364
Elliott C.T: intrinsic carrier concentration in semiconducting $Cd_xHg_{1-x}Te$ alloys 697
Ellis S.C. with Rossiter M.J, Rees-Evans D.B. and Griffiths J.M: titanium as a luminescence centre in thermo-luminescent lithium fluoride 1245
Ellis W.R: vacuum magnetic field and surface current distributions for a slotted cylindrical shell carrying axial current (R) 332
Enga E. with Brown C.R, Brown J.B. and Halse M.R: contact potential changes produced by very small stresses 298
Enoch R.D. and Murrell D.L: heat treatment in vacuum of a high permeability Ni–Fe–Cu–Mo alloy 133
Erents S.K, McCracken G.M. and Goldsmith P: trapping of keV deuterons in lithium 672
Ertl M.E. with Dixon A.J: thermal conduction mechanisms in liquid Tl_2Te 83
Evans L.R. with Morgan F. and Grey Morgan C: laser beam induced breakdown in helium and argon 225

Faraday C.S.N. with Wright H, Treloar L.R.G. and White E.F.T: the elastic constants of oriented glassy polymers 2002
Faunce C.A. with Birss R.R. and Isaac E.D: magnetomechanical effects in iron and iron–carbon alloys 1040
Fells I. with Allen D.A. and Fletcher F.J: characteristics of diffuse electrical discharges stabilized in flowing air, argon and nitrogen 1710
Fells I, Fletcher F.J. and Wilson A: initiation of electrically augmented flames 1538
Fijnaut H.M: noise and modulation experiments on cathodoluminescence from a $Sr_3(PO_4)_2$–Tb phosphor 840
Finnigan J.A. and Jacobs D.J: light scattering by ellipsoidal particles in solution 72
Fisher B.P. and Taylor R.J: modification of current flow electrohydrodynamic phenomena in dielectric liquids 1958
Fisher G.L: an investigation of electron probe microanalysis corrections in nickel–cobalt alloys 1439
Fletcher F.J. with Allen D.A. and Fells I: characteristics of diffuse electrical discharges stabilized in flowing air, argon and nitrogen 1710
Fletcher F.J. with Fells I. and Wilson A: initiation of electrically augmented flames 1538
Fletcher W.H.W. with Keen B.E: comparison of plasma density measurements made with a double probe, a resonant cavity technique and an upper hybrid frequency method 1695
Fox A: disaccommodation in manganese-zinc ferrite 1239
Freeman G.H. with Jones G.R. and Edels H: transient temperature distributions in cylindrical arc columns following abrupt current changes 236
Freeston I.L. and Gupta R.K: radiation resistance of a centre-fed dipole with non-reflecting loading in a warm plasma (L) L10
Freeston I.L. with Holmes R: comparison of probe and spectroscopic measurements in an argon plasma jet (R) 452
Fussey D.E: an experimental study of magneto-viscous effects in a combustion plasma 1913
Fussey D.E: MHD duct flows at moderate Hartmann number 1929

Garton C.G: dielectric measurements using sphere gaps—a simple approximation for the potential distribution 1785
Gasanov L.S: comments on 'equilibrium space-charge distribution in semiconductors' (R) 2049

Gate L.F: the determination of light absorption in diffusing materials by a photon diffusion model 1049
Gaunt P. with Joffe I: magnetic hardening and phase segregation in CuNiFe and CuNiCo alloys 586
Gautam M.S. with Curzon F.L: the influence of formative time lags on spark-gap recovery measurements (R) 341
Ghatak A.K. with Sodha M.S. and Malik D.P.S: electromagnetic wave propagation in a radially and axially nonuniform medium: optics of SELFOC fibres and rods; wave optics considerations 1887
Gibson A.F, Hughes T.P. and Ireland C.L.M: CO_2 laser generation of plasma for spectroscopy and spectrochemical analysis 1527
Gibson A.F, Kimmitt M.F. and Patel B.S: the gain of transversely excited CO_2 lasers at pressures up to 500 Torr 882
Goldsmid H.J: a hybrid thermoelectric–thermomagnetic transformer (L) L1 (corrigendum, 611)
Goldsmid H.J: thermomagnetic and thermoelectric direct current transformers 217 (corrigendum, 611)
Goldsmid H.J. and Sydney K.R: thermal radiation detector employing the Nernst effect in Cd_3As_2–NiAs 869
Goldsmith P. with Erents S.K. and McCracken G.M: trapping of keV deuterons in lithium 672
Gonzalez C: anomalous behaviour of thin films of nickel and silver (R) 351
Goodyear C.C. with Roche A.E: electron transfer in collisions of low-energy negative oxygen ions with O_2 1513
Gopal E.S.R. with Radha V. and Krishnan R.S: elastic constants of triclinic copper sulphate pentahydrate crystals (R) 171
Gopinath A. and De Monts de Savasse T: on scanning electron microscope conduction-mode signals in bulk semiconductor devices: Annular geometry 2031
Govinda Raju G.R. with Raja Rao C: growth of ionization currents in dry air at high values of E/N 494
Govinda Raju G.R. with Raja Rao C: the ratio of diffusion coefficient to mobility for slow electrons in dry air (R) 769
Goutte R. with Baboux J.C, Perdrix M. and Guillaud C: emission eléctronique secondaire d'un monocristal de NaCl bombardé par des ions de gaz rares 1617
Gozna C.F. with Varey R.H, Smalley J, Richards P.H. and Swift-Hook D.T: molecular dissociation in a constricted glow discharge 1520
Green P.D. with James H: laser–Doppler velocity measurements in laminar diffusion flames (R) 738
Grey Morgan C. with Morgan F. and Evans L.R: laser beam induced breakdown in helium and argon 225
Griffiths J.M. with Rossiter M.J, Rees-Evans D.B. and Ellis S.C: titanium as a luminescence centre in thermo-luminescent lithium fluoride 1245
Grundy P.J, Tebble R.S. and Hothersall D.C: cylindrical domains observed in thin cobalt crystals (R) 174
Guillaud C. with Baboux J.C, Perdrix M and Goutte R: emission eléctronique secondaire d'un monocristal de NaCl bombardé par des ions de gaz rares 1617
Gupta B.N. and Dubey M.C: effect of spherical aberration on the Fraunhofer diffraction of an optical system illuminated by partially coherent light 1675
Gupta B.N. with Katti P.K. and Singh K: effect of atmospheric turbulence on the far field diffraction of an annular aperture 666
Gupta R.K. with Freeston I.L: radiation resistance of a centre-fed dipole with non-reflecting loading in a warm plasma (L) L10
Gupta R.N. with Sen S.N: variation of discharge current in a transverse magnetic field in a glow discharge 510

Hackam R: breakdown potential of water vapour between plane parallel electrodes 1134
Hale D.P: energy analysis of electron beams from perforated-mesh hollow-cathode gas discharge guns 1281
Hall T.A. with Mitra S.K: a new network scheme for pulse-height analysis applied to non-dispersive x-ray emission microanalysis 748
Halse M.R. with Brown J.B, Brown C.R. and Enga E: contact potential changes produced by very small stresses 298
Hancox N.L. with Reynolds W.N: shear strength of the carbon–resin bond in carbon-fibre-reinforced epoxies 1747
Harnik E. with Balmor Y: on the nature of oriented optical damage in polymethylmethacrylate (R) 1650

Harrison J.A. with Shallal M.A: pre-breakdown currents in hydrogen in uniform and non-uniform fields 1550
Harrowell R.V: ac losses in rotating and reciprocating superconductors and normal conductors 1769
Haydon S.C, McIntosh A.I. and Simpson A.A: the effect of magnetic fields on electron energy distribution functions and derived collision frequencies 1257
Hayward A.J.T: how to measure the isothermal compressibility of liquids accurately 938
Hayward A.J.T: precise determination of the isothermal compressibility of mercury at 20 °C and 192 bar 951
Heritage M.B. with Tillett P.I: the structure of very thin lead films 773
Heslop C.J. and Ward E.W: the measurement of p–n junction depths using a scanning electron microscope 2039
Heyes W. with Watson D.B: dielectric breakdown of Perspex in non-uniform fields (R) 818
Hill J.S: interferometric thickness measurements on transparent thin films 741
Hindeleh A.M. and Johnson D.J: the resolution of multipeak data in fibre science 259
Hitchcock A.H. and Stringer J: the temperature dependence of the Hall effect in α-phase copper-base alloys at high temperatures 810
Hlawiczka P. with Arton K.A.M: ac superconductive properties and structure of sputtered niobium films 1762
Holeman B.R. and Wreathall W.M: thermal-imaging camera tubes with pyroelectric targets 1898
Holmes R. with Djakov B.E: cathode spot division in vacuum arcs with solid metal cathodes 504
Holmes R. and Freeston I.L: comparison of probe and spectroscopic measurements in an argon plasma jet (R) 452
Honeyman W.N. and Wilkinson K.H: growth and properties of single crystals of group I–III–VI_2 ternary semiconductors 1182
Hooper G. with Edwards D.H. and Collyer A.A: ionization measurement in reactive shock and detonation waves using microwave techniques 854
Hothersall D.C. with Grundy P.J. and Tebble R.S: cylindrical domains observed in thin cobalt crystals (R) 174
Hughes T.P. with Gibson A.F. and Ireland C.L.M: CO_2 laser generation of plasma for spectroscopy and spectrochemical analysis 1527
Hwang F.S.W: supralinearity and sensitization of thermoluminescent phosphor lithium fluoride 598

Ingle S.G. with Deshmukh K.G: interferometric studies of domain structures in potassium niobate single crystals 124
Ingle S.G. with Deshmukh K.G: domain structures in $KNbO_3$ single crystals associated with step ladders on pseudocubic (001) planes (R) 1633
Ingram D.J.E. with Robson D. and Assabghy F.Y.I: an electron spin resonance study of carbon fibres based on polyacrylonitrile 1426
Ireland C.L.M. with Hughes T.P. and Gibson A.F: CO_2 laser generation of plasma for spectroscopy and spectrochemical analysis 1527
Isaac E.D. with Birss R.R. and Faunce C.A: magnetomechanical effects in iron and iron–carbon alloys 1040

Jackson A.T: anode spot oscillations (R) 1963
Jacobs D.J. with Finnigan J.A: light scattering by ellipsoidal particles in solution 72
Jain S.C, Agarwal S.K, Borle W.N. and Tata S: total emissivity of silicon at high temperatures 1207
James C. and Lang S.P: truncating criteria for polynomial curve fitting 357
James H. and Green P.D: laser–Doppler velocity measurements in laminar diffusion flames (R) 738
Janssen A.P. and Jones J.P: the sharpening of field emitter tips by ion sputtering 118
Jeffery J.W. with Chatterji S. and Moore N.T: uneven deposition of vacuum-coated metal film on specimens composed of submicron particles (R) 2015
Jenkins R.M. with Rogers L.M. and Crocker A.J: transport and optical properties of the $Cd_{3-z}Zn_zAs_2$ alloy system 793
Jennings J.C.E. with Cole R.S: an electron beam spectrometer for the measurement of the angular distribution of plasma losses in thin films 54

Joffe I. and Gaunt P: magnetic hardening and phase segregation in CuNiFe and CuNiCo alloys 586
John P.I. with Sarkar D.C, Kumar S. and Chandra A: study of rf breakdown characteristics in the presence of parallel electric and magnetic fields (R) 959
Johnson D.J. with Hindeleh A.M: the resolution of multipeak data in fibre science 259
Johnson P.C. and Parker A.B: a new theory for breakdown to the left of the Paschen minimum (L) L7
Jones A. R. and Schwar M.J.R: an ultrasonic method of gas diagnostics using an optical beam as a probe 414
Jones A.R. and Thong K.C: the production of charged monodisperse fuel droplets by electrical dispersion 1159
Jones G.R, Freeman G.H. and Edels H: transient temperature distributions in cylindrical arc columns following abrupt current changes 236
Jones H: cooling, freezing and substrate impact of droplets formed by rotary atomization (Review article) 1657
Jones J.P. with Janssen A.P: the sharpening of field emitter tips by ion sputtering 118
Julien L.S. with Miller R.F. and Taylor A.J: an analysis of the errors in optical constants obtained from reflectance measurements 1100
Jullien G.A: low velocity arcs under the influence of transverse magnetic fields 753

Kanari P.S, Singh V.B. and Nanda J.N: photoluminescence in ZnS (Cu, Mn) phosphors 1824
Katti P.K, Gupta B.N. and Singh K: effect of atmospheric turbulence on the far field diffraction of an annular aperture 666
Keen B.E. and Fletcher W.H.W: comparison of plasma density measurements made with a double probe, a resonant cavity technique and an upper hybrid frequency method 1695
Kendall K: the adhesion and surface energy of elastic solids 1186
Kennedy M: temperature distributions downwind of moving mine fires 1493
Khan S.H. and Walsh D: effect of cathode material in a laser triggered spark gap (R) 344
Khanna R.K. and Tripathi V.K: magnetic field effects on microwave harmonic generation in n-InSb 552
Kimmitt M.F. with Gibson A.F. and Patel B.S: the gain of transversely excited CO_2 lasers at pressures up to 500 Torr 882
King M.J. with Waters N.D: the unsteady flow of an elastico-viscous liquid in a straight pipe of circular cross section 204
Krishnan R.S, Radha V. and Gopal E.S.R: elastic constants of triclinic copper sulphate pentahydrate crystals (R) 171
Kulkarni D.K. and Mande C: ionic structure of the spinel $FeCoCrO_4$ (R) 1218
Kumar S, Chandra A, John P.I. and Sarkar D.C: study of rf breakdown characteristics in the presence of parallel electric and magnetic fields (R) 959
Kundra K.D. and Ali S.Z: unit-cell data and expansion coefficients of bismuth selenio-telluride 685

Laermans C, Michiels L. and De Bock A: on CdS thin-film transducers for 9·4 GHz longitudinal waves in corundum precipitated by electron-bombardment evaporation 1880
Lainé D.C. with Bardo W.S: oscillation transient in a molecular *Q*-switched ammonia maser (L) L42
Lainé D.C. and Smart G.D.S: ammonia beam masers employing parallel plate and conical types of open resonator (L) L23
Lainé D.C. and Sweeting R.C: on the operation of molecular beam masers with electret focusers (L) L44
Lam Y.W: surface-state density and surface potential in MIS capacitors by surface photovoltage measurements—I 1370
Lam Y.W. and Rhoderick E.H: surface-state density and surface potential in MIS capacitors by surface photovoltage measurements—II 1376
Lambert R.M: Faraday rotation in a calcium–bismuth–vanadium iron garnet 139
Lamki A.M. with McDonald I.R. and Delaney C.F.G: the attenuation and backscattering of electron beams by thin films 1210
Lang S.P. with James C: truncating criteria for polynomial curve fitting 357
Lapworth K.C, Allnutt L.A. and Pendlebury J.R: temperature measurements in shock-heated carbon monoxide by an infrared technique 759

Large D.W. with Perkin J.L. and Morris E: the spalling of aluminium with a pulsed electron beam 974
Laws V: the efficiency of fibrous reinforcement of brittle matrices 1737
Lawton J: arc motion in magnetic fields in presence of gas flow 1946
Lee C.S. with Meyer J: investigation of the glow phase in spark discharges (R) 168
Lee E.W. with Bishop J.E.L. and Collar P.G: magnetic domain studies using permeability spectra: III—Ni–Fe–Cu–Mo alloy 1221
Leventhall H.G. with Bokor A: the measurement of initial impact velocity and contact time (R) 160
Lewis T.J. with Taylor D.M: electrical conduction in polyethylene terephthalate and polyethylene films 1346
Ley J.M. with Ahmed M.S: defects in the performance of electro-optic modulators using glass 42m crystals 1637
Lin D.S: the adhesion of metal films to glass and magnesium oxide in tangential shear 1977
Little E.A. with Ahmad M.S, Barrow D.E. and Szkopiak Z.C: computer analysis of complex relaxation spectra 1460
Lloyd O: beam–plasma interactions in a hollow cathode 1291
Lloyd O. and Middleton L.A: current distribution in a mercury arc valve 408
Löhneysen H.V. and Nägerl H: electrical currents in flowing benzyl alcohol 1718
Longworth G. and Window B: the preparation of narrow-line Mössbauer sources of ^{57}Co in metallic matrices 835
Lord R.G. and Rockett P: Monte Carlo calculations of small-angle plural scattering 1856
Luke C. and Puttick K.E: dislocation damage by spark cutting in cadmium single crystals 967

McBrierty V.J, McDonald I.R. and Ward I.M: investigation of the molecular structure in drawn polyethylene based upon nmr fourth moment measurements 88
McCracken G.M. with Erents S.K. and Goldsmith P: trapping of keV deuterons in lithium 672
McDonald I.R, Lamki A.M. and Delaney C.F.G: the attenuation and back-scattering of electron beams by thin films 1210
McDonald I.R. with Ward I.M. and McBrierty V.J: investigation of the molecular structure in drawn polyethylene based upon nmr fourth moment measurements 88
McEvoy A.J. with Williams R.H: some properties of molybdenite cleavage surfaces 456
McIntosh A.I. with Haydon S.C. and Simpson A.A: the effect of magnetic fields on electron energy distribution functions and derived collision frequencies 1257
McKell H.D. with Anand K.V. and Northrop D.C: the properties of silicon dioxide films on silicon as diffusion masks for boron 1722
Maclean I.G. with Boylett F.D.A: cathode fall in potential and space in mercury arcs 677
McMillan P.W. and Nesvadba P: a critical evaluation of a thermal mechanism of switching 1401
Maitland A: theory of segmented metal discharge tubes for argon lasers 907
Malik D.P.S. with Sodha M.S. and Ghatak A.K: electromagnetic wave propagation in a radially and axially nonuniform medium: optics of SELFOC fibres and rods; wave optics considerations 1887
Manamohanan S.B. with Sastri V.D.P: spectral distribution and colour of north sky at Bombay 381
Manchanda T.C. and Mathur V.K: on the T^2 rate of heating for TSC under charge neutrality condition (R) 593
Mande C. with Kulkarni D.K: ionic structure of the spinel $FeCoCrO_4$ (R) 1218
Mansingh A. and Smith A.M: dielectric and electrical conductivity studies in potassium nitrite and potassium nitrate 560
Mansingh A. and Smith A.M: dielectric dispersion in the paraelectric phase of potassium nitrate 1792
Marcer D.J. with Barker K: hollow-cathode discharge characteristics of glow-modulator tubes 1152
Marshall D.J. with Chedzey H.A, Parfitt H.T. and Robertson D.S: a study of the melt growth of single-crystal thiogallates 1320
Mathur V.K. with Manchanda T.C: on the T^2 rate of heating for TSC under charge neutrality condition (R) 593
Meddins R.J. with Edwards D.H: the strength of transverse waves in marginal planar detonation waves 364

Medley S.S. and Webb D.R.A: ion temperature measurements for the PROTO-CLEO stellarator using a multi-grid electrostatic energy analyser 658
Megahed I.A.Y. and Tropper H: conduction current pulses in transformer oil 446
Mellor D.J: ion mobility in a helium–hydrogen admixture 1535
Mellor D.J. and Travis J.R: total secondary electron coefficients in helium–hydrogen admixtures 338
Metzmacher K.D. with Brignell J.E: dependence of the statistical breakdown time-lag of a liquid dielectric on electrode geometry 253
Meyer J. and Lee C.S: investigation of the glow phase in spark discharges (R) 168
Michiels L. with Laermans C. and De Bock A: on CdS thin-film transducers for 9·4 GHz longitudinal waves in corundum precipitated by electron-bombardment evaporation 1880
Middleton L.A. with Lloyd O: current distribution in a mercury arc valve 408
Miljević V.I. and Tošić D. Dj: a spectroscopic study of the pulsed gas discharge in crossed electric and magnetic fields 1545
Miller C.A: potential barriers on semiconducting barium titanate 690
Miller R.F, Julien L.S. and Taylor A.J: an analysis of the errors in optical constants obtained from reflectance measurements 1100
Miller R.F. and Taylor A.J: optical constants of thin films by an optimized reflection ratio method 1419
Mirza J.S, Smith C.W. and Calderwood J.H: sparking potentials of saturated hydrocarbon gases 1126
Misell D.L. with Crick R.A: a theoretical consideration of some defects in electron optical images. A formulation of the problem for the incoherent case 1
Misell D.L. and Crick R.A: an estimate of the effect of chromatic aberration in electron microscopy 1668
Misra N.K. with Acharya H.N: structural defects in chemically deposited photoconducting films of PbS 1968
Mitchell L.A. with Chivers T.C: on the limiting velocity through parallel bore tubes 1069
Mitra N.K: small high current-density thermionic emitter 39
Mitra N.K: the operation of a convergent-flow electron gun for thin beams 47
Mitra S.K. and Hall T.A: a new network scheme for pulse-height analysis applied to non-dispersive x-ray emission microanalysis 748
Mondal M.A.W. with Beynon T.D: the application of space-dependent multigroup theory to the analysis of neutron slowing down time experiments: I—light and heavy water moderators 1843
Moore N.T. with Chatterji S. and Jeffery J.W: uneven deposition of vacuum-coated metal film on specimens composed of submicron particles (R) 2015
Morgan F, Evans L.R. and Grey Morgan C: laser beam induced breakdown in helium and argon 225
Morris E. with Perkin J.L. and Large D.W: the spalling of aluminium with a pulsed electron beam 974
Moustafa M.A.K. with Nashed M: exact solution of the equation for the induction velocimetry with two-dimensional non-uniformities of velocity and magnetic field (L) L39
Mukherjee B.K. with Wiederick H.D. and Baird D.C: structure of the current-induced intermediate state in type I superconductors 1365
Murrell D.L. with Enoch R.D: heat treatment in vacuum of a high permeability Ni–Fe–Cu–Mo alloy 133

Nadkarni S.S. and Cohen E: high sensitivity Hall plates using epitaxial GaAs (R) 729
Nag A. and Ward L: optical constants of thin films of nickel, copper and germanium 829
Nagaraja Rao C.R, Chen H.S. and Takashima T: laboratory determination of the characteristic reflection matrices of neutral surfaces (R) 1057
Nägerl H. with Löhneysen H.V: electrical currents in flowing benzyl alcohol 1718
Nanda J.N. with Kanari P.S. and Singh V.B: photoluminescence in ZnS Cu, Mn) phosphors 1824
Nashed M: on the calculation of force on a stationary evaporating sphere in the presence of another stationary sphere (R) 680

Nashed M. and Moustafa M.A.K: exact solution of the equation for the induction velometry with two-dimensional non-uniformities of velocity and magnetic field (L) L39
Nayyar V.P: theory of spectral line profile analysis with reflection echelon 489
Nayyar V.P. with Sirohi R.S. and Virdi S.P.S: visibility consideration in Michelson's interferometer in the presence of turbulence 485
Nederveen C.J. and Tilstra J.F: clamping corrections for torsional stiffness of prismatic bars 1661
Nesvadba P. with McMillan P.W: a critical evaluation of a thermal mechanism of switching 1401
Neumann S: sequence representations of quasi-free electron density type integrals and their power series developments 1449
Nichols S: the pressure-induced bismuth III–IV transition 783
Nicholson D. and Petropoulos J.H: capillary models for porous media: III—two-phase flow in a three-dimensional network with Gaussian radius distribution 181
Nishida M: induction velometry with two-dimensional non-uniformities of velocity and magnetic field 518
Norris W.T: calculation of hysteresis losses in hard superconductors: polygonal-section conductors 1358
Northrop D.C. with McKell H.D. and Anand K.V: the properties of silicon dioxide films on silicon as diffusion masks for boron 1722
Northrop D.C. with Thanailakis A: slow voltage-induced barrier height changes in metal–germanium surface barriers 1776

Oliver M: measurements of the rate of evaporation of caesium from the tri-alkali photocathode in an alkali-free environment 962
Oliver W.R: optical constants of thin films of mercury sulphide (R) 178
O'nions R.K. with Smith D.G.W: investigations of the $L_{II,III}$ x-ray emission spectra of Fe by the electron microprobe. Part I: some aspects of the Fe $L_{II,III}$ spectra from metallic iron and haematite 147
Ono S. with Shibata Y. and Adachi H: on electronic conduction through evaporated silicon oxide films 988
Otooni M. with Schröder K: effect of magnetic fields on the absolute Seebeck coefficient and the resistivity of thermocouple wires 1612

Pal B.B. and Roy S.K: small-signal analysis of a p–n junction avalanche diode having a uniform avalanche zone and a drift zone for unequal ionization rates and drift velocities of electrons and holes 2041
Parfitt H.T. with Chedzey H.A, Marshall D.J. and Robertson D.S: a study of the melt growth of single-crystal thiogallates 1320
Parke S. with Sarkies P.H. and Sandoe J.N: variation of Nd^{3+} cross section for stimulated emission with glass composition 1642
Parke S. and Webb R.S: optical properties of Sn^{2+} and Sb^{3+} in calcium metaphosphate glass 825
Parker A.B. with Johnson P.C: a new theory for breakdown to the left of the Paschen minimum (L) L7
Parshad R. with Yadav A.S: on the utilization of Böttcher's formula for correct correlation of dielectric constant of powder and bulk (R) 822 (corrigendum, 1256)
Patel A.R. and Agarwal B.P: spiral etch pits in KBr single crystals (R) 985
Patel A.R. and Bhat H.L: distribution of dislocations around indentations in $SrSO_4$ single crystals 1998
Patel A.R. and Sutaria J.N: slip system in MgO single crystal (R) 1586
Patel B.S. with Gibson A.F. and Kimmitt M.F: the gain of transversely excited CO_2 lasers at pressures up to 500 Torr 882
Patil S.G. and Tredgold R.H: electrical and photoconductive properties of SnS_2 crystals 718
Pedder M.A: the measurement of size and diffusion characteristics of aerosols with particle sizes less than 0·01 μm using the Pollak condensation nucleus counter 531
Pendlebury J.R. with Allnutt L.A. and Lapworth K.C: temperature measurements in shock-heated carbon monoxide by an infrared technique 759
Perdrix M. with Baboux J.C, Goutte R. and Guillaud C: emission eléctronique secondaire d'un monocristal de NaCl bombardé par des ions de gaz rares 1617

Perkin J.L, Morris E. and Large D.W: the spalling of aluminium with a pulsed electron beam 974
Pert G.J: thermal boundary-layer effects on Langmuir probe measurements in flowing gases 1702
Petropoulos J.H. with Nicholson D: capillary models for porous media: III—two-phase flow in a three-dimensional network with Gaussian radius distribution 181
Petrus O. with Sandulovicіu M, Biborosch L. and Popa G: on the impedance of dc gas discharges (R) 1965
Popa G. with Sandulovicіu M, Biborosch L. and Petrus O: on the impedance of dc gas discharges (R) 1965
Preece I. and Thompson J.E: magnetic domains and high permeability in Ni–Fe–Cu–Mo alloys 723
Pryde M, Smith A.G. and Carter G: computer simulation of the penetration of low-energy Kr ions into single-crystal tungsten 1681
Pulfrey D.L. with Cooper R: discharge propagation through single crystals of KBr 292
Puttick K.E. with Luke C: dislocation damage by spark cutting in cadmium single crystals 967

Radha V. with Krishnan R.S. and Gopal E.S.R: elastic constants of triclinic copper sulphate pentahydrate crystals (R) 171
Rafi Ahmad S. and Walsh D: optical non-linearity in CdS at high photon densities 1820
Rai J. and Bhattacharya P.K: impulse magnetic flux density close to the multiple return strokes of a lightning discharge 1252
Raja Rao C. and Govinda Raju G.R: growth of ionization currents in dry air at high values of E/N 494
Raja Rao C. and Govinda Raju G.R: the ratio of diffusion coefficient to mobility for slow electrons in dry air (R) 769
Rangarajan L.M. with Bhide G.K. and Bhat B.M: optimization of some parameters for high efficiency caesium–antimony semitransparent photocathodes 568
Reed S.J.B: the backscattering correction for quantitative electron probe microanalysis with electrons incident at 45° 1910
Rees-Evans D.B. with Rossiter M.J, Ellis S.C. and Griffiths J.M: titanium as a luminescence centre in thermoluminescent lithium fluoride 1245
Reeves-Saunders R: observation of a transition into a stable mode for an arc burning on a rotating anode (L) L25
Reynolds W.N. and Hancox N.L: shear strength of the carbon–resin bond in carbon-fibre-reinforced epoxies 1747
Rhoderick E.H. with Card H.C: studies of tunnel MOS diodes: I—interface effects in silicon Schottky diodes 1589
Rhoderick E.H. with Card H.C: studies of tunnel MOS diodes: II—thermal equilibrium considerations 1602
Rhoderick E.H. with Lam Y.W: surface-state density and surface potential in MIS capacitors by surface photovoltage measurements—II 1376
Rhodes G.M. and Brignell J.E: non-stationary pulse conduction in a dielectric liquid (L) L47
Rhodes R.G. with Seebold R.J.A: induced ac losses in an enhanced Meissner state (R) 354
Richards J.M: a simple accurate expression for the saturation vapour pressure of water in the range −50° to 140°C (L) L15 (corrigendum, 876)
Richards P.H. with Varey R.H, Smalley J, Gozna C.F. and Swift-Hook D.T: molecular dissociation in a constricted glow discharge 1520
Riley J.R: observations of neutral density in a modulated mercury positive column, using resonance absorption of the 2537 Å mercury line (R) 348
Roberts A.D: squeeze films between rubber and glass 423
Roberts A.D: the shear of thin liquid films 433
Robertson A.J.B. with Bhatta K.S.M. and Duell M.J: a study of vacuum breakdown using projections grown on field emitter tips 1390
Robertson D.S. with Chedzey H.A, Marshall D.J. and Parfitt H.T: a study of the melt growth of single-crystal thiogallates 1320
Robertson D.S. and Roslington J.M: a study of the growth of lithium iodate from aqueous solution (R) 1582
Robson D, Assabghy F.Y.I. and Ingram D.J.E: an electron spin resonance study of carbon fibres based on polyacrylonitrile 1426
Roche A.E. and Goodyear C.C: electron transfer in collisions of low-energy negative oxygen ions with O_2 1513

Rockett P. with Lord R.G: Monte Carlo calculations of small-angle plural scattering 1856
Rogers L.M: electron scattering in some II–IV–VI alloy semiconductors 1025
Rogers L.M. and Crocker A.J: transport properties of the $Cd_xPb_{1-x}Te$ alloy system 1000
Rogers L.M. and Crocker A.J: transport and optical properties of the $Mg_xPb_{1-x}Te$ alloy system 1016
Rogers L.M, Jenkins R.M. and Crocker A.J: transport and optical properties of the $Cd_{3-x}Zn_xAs_2$ alloy system 793
Roslington J.M. with Robertson D.S: a study of the growth of lithium iodate from aqueous solution (R) 1582
Ross J.N: phase modulated axial modes in a passive cavity 1092
Rossiter M.J, Rees-Evans D.B, Ellis S.C. and Griffiths J.M: titanium as a luminescence centre in thermo-luminescent lithium fluoride 1245
Rowe D.M: temperature variation of carrier concentration and conductivity mobility in heavily doped hot-pressed germanium–silicon alloys (R) 1816
Roy S.K. with Pal B.B: small-signal analysis of a p–n junction avalanche diode having a uniform avalanche zone and a drift zone for unequal ionization rates and drift velocities of electrons and holes 2041

Sakai T. and Calderwood J.H: the current–voltage characteristics of gel-state materials 1754
Sakamoto S. with Sato T: measurement of dielectric liquid motion under electrostatic stress by a laser–Doppler method (L) L53
Sandoe J.N. with Sarkies P.H. and Parke S: variation of Nd^{3+} cross section for stimulated emission with glass composition 1642
Sanduloviciu M, Popa G, Biborosch L. and Petrus O: on the impedance of dc gas discharges (R) 1965
Sanger C.C. and Secker P.E: arc cathode density measurements 1940
Sansome D.H. with Young M.J.R. and Winsper C.E: the design of high intensity radial vibrators for metal working applications 212
Sarkar D.C. with Kumar S, Chandra A. and John P.I: study of rf breakdown characteristics in the presence of parallel electric and magnetic fields (R) 959
Sarkies P.H, Sandoe J.N. and Parke S: variation of Nd^{3+} cross section for stimulated emission with glass composition 1642
Sastri V.D.P. and Manamohanan S.B: spectral distribution and colour of north sky at Bombay 381
Sato T. and Sakamoto S: measurement of dielectric liquid motion under electrostatic stress by a laser–Doppler method (L) L53
Schneider E.E. with Wilson S: some measurements of the velocity of hypersound in germanium at low temperature (R) 1886
Schröder K. and Otooni M: effect of magnetic fields on the absolute Seebeck coefficient and the resistivity of thermocouple wires 1612
Schwar M.J.R. with Jones A.R: an ultrasonic method of gas diagnostics using an optical beam as a probe 414
Secemski E. and Anderson J.C: magnetic anisotropy in single-crystal nickel films 574
Seeker P.E. with Belmont M.R: slow carrier mobilities in *n*-hexane 956
Secker P.E. with Sanger C.C: arc cathode density measurements 1940
Seebold R.J.A. and Rhodes R.G: induced ac losses in an enhanced Meissner state (R) 354
Sen S.N. and Gupta R.N: variation of discharge current in a transverse magnetic field in a glow discharge 510
Sen Gupta S.P. and De M: on the instrumental broadening correction in integral breadth analysis of x-ray line profiles from cold-worked alloys (R) 1063
Sethi B.R. with Srivastava G.P: study of the anisotropy in the Faraday rotation with respect to the magnetic field orientation in n-type germanium at 24 GHz (R) 1830
Shallal M.A. and Harrison J.A: pre-breakdown currents in hydrogen in uniform and non-uniform fields 1550
Sharma B.B: a method for the measurement of thermal conductivity (R) 465
Shenker D. and Chen R: numerical curve fitting of general order kinetics glow peaks 287
Shibata Y. with Adachi H. and Ono S: on electronic conduction through evaporated silicon oxide films 988
Simmons J.G: conduction in thin dielectric films (Review article) 613

Simpson A.A. with Haydon S.C. and McIntosh A.I: the effect of magnetic fields on electron energy distribution functions and derived collision frequencies 1257

Simpson D. and Smy P.R: reflectivity and curvature of hypersonic shock waves at 1 atmosphere 1487

Simpson P. and Taylor R.J: characteristic rotor speed variations of a dielectric motor with a low-conductivity liquid 1893

Sines G. with Turley J: the anisotropy of Young's modulus, shear modulus and Poisson's ratio in cubic materials 264

Sines G. with Turley J: anisotropic behaviour of the compliance and stiffness coefficients for cubic materials 1731

Singh K. with Gupta B.N. and Katti P.K: effect of atmospheric turbulence on the far field diffraction of an annular aperture 666

Singh V.B. with Kanari P.S. and Nanda J.N: photoluminescence in ZnS (Cu, Mn) phosphors 1824

Sirohi R.S, Nayyar V.P. and Virdi S.P.S: visibility consideration in Michelson's interferometer in the presence of turbulence 485

Smalley J. with Varey R.H, Richards P.H, Gozna C.F. and Swift-Hook D.T: molecular dissociation in a constricted glow discharge 1520

Smart G.D.S. with Lainé D.C: ammonia beam masers employing parallel plate and conical types of open resonator (L) L23

Smith A.G. with Pryde M. and Carter G: computer simulation of the penetration of low-energy Kr ions into single-crystal tungsten 1681

Smith A.M. with Mansingh A: dielectric and electrical conductivity studies in potassium nitrite and potassium nitrate 560

Smith A.M. with Mansingh A: dielectric dispersion in the paraelectric phase of potassium nitrate 1792

Smith C.W. with Mirza J.S. and Calderwood J.H: sparking potentials of saturated hydrocarbon gases 1126

Smith D.G.W. and O'nions R.K: investigations of the $L_{II,III}$ x-ray emission spectra of Fe by the electron microprobe. Part I: some aspects of the Fe $L_{II,III}$ spectra from metallic iron and haematite 147

Smy P.R. with Clements R.M: comments on 'Comparison of probe and spectroscopic measurements in an argon plasma jet' (L) L37

Smy P.R. with Clements R.M: stagnation probe measurements in flowing plasmas 1687

Smy P.R. with Simpson D: reflectivity and curvature of hypersonic shock waves at 1 atmosphere 1487

Sodha M.S, Ghatak A.K. and Malik D.P.S: electromagnetic wave propagation in a radially and axially nonuniform medium: optics of SELFOC fibres and rods; wave optics considerations 1887

Spooner T.A. with Clarke J.K.A: the formation of homogeneous copper–nickel alloy films in ultra-high vacuum 1196

Srivastava G.P. and Sethi B. R: study of the anisotropy in the Faraday rotation with respect to the magnetic field orientation in n-type germanium at 24 GHz (R) 1830

Staniforth J.E. with Allnutt J.E. and Calderwood J.H: the complex permittivity of some alcohols at 890·8 GHz (L) L21

Stevefelt J: the decay of optically thick helium plasmas, taking into account ionizing collisions between metastable atoms or molecules 899

Steverding B: thermomechanical damage by pulsed lasers 787

Steverding B. and Werkheiser A.H: the plume of electron and laser pulses 545

Stirling A.J. and Westwood W.D: direction of sputtered atoms by atomic absorption spectroscopy 246

Stoebe T.G. with DeWerd L.A: comments on 'supralinearity and sensitization of thermoluminescent phosphor lithium fluoride' (L) L31

Stokes A.D: thermal equilibrium in argon induction discharges 916

Stokes A.D: transition probabilities in the neutral argon spectrum 930

Stringer J. with Hitchcock A.H: the temperature dependence of the Hall effect in α-phase copper-base alloys at high temperatures 810

Sutaria J.N. with Patel A.R: slip system in MgO single crystal (R) 1586

Sutherland R.R. with Collins R.A. and Bowman G: electroforming of MIM thin-film devices in air at atmospheric pressure (L) L49

Sutherland R.R: a theory for negative resistance and memory effects in thin insulating films and its application to Au–ZnS–Au devices 468
Swan G.W: a theory for the slope of the shock-wave velocity against particle velocity curve (R) 1077
Sweeting R.C. with Lainé D.C: on the operation of molecular beam masers with electret focusers (L) L44
Swift-Hook D.T. with Varey R.H, Smalley J, Richards P.H. and Gozna C.F: molecular dissociation in a constricted glow discharge 1520
Sydney K.R. with Goldsmid H.J: thermal radiation detector employing the Nernst effect in Cd_3As_2–NiAs 869
Szkopiak Z.C. with Ahmad M.S, Barrow D.E. and Little E.A: computer analysis of complex relaxation spectra 1460

Takashima T. with Chen H.S. and Nagaraja Rao C.R: laboratory determination of the characteristic reflection matrices of neutral surfaces 1057
Tata S. with Jain S.C, Agarwal S.K. and Borle W.N: total emissivity of silicon at high temperatures 1207
Taylor A.J. with Julien L.S. and Miller R.F: an analysis of the errors in optical constants obtained from reflectance measurements 1100
Taylor A.J. with Miller R.F: optical constants of thin films by an optimized reflection ratio method 1419
Taylor D.M. and Lewis T.J: electrical conduction in polyethylene terephthalate and polyethylene films 1346
Taylor R.J. with Fisher B.P: modification of current flow electrohydrodynamic phenomena in dielectric liquids 1958
Taylor R.J. with Simpson P: characteristic rotor speed variations of a dielectric motor with a low-conductivity liquid 1893
Tebble R.S. with Grundy P.J. and Hothersall D.C: cylindrical domains observed in thin cobalt crystals (R) 174
Tedford D.J. with Boyd H.A: the mechanism of breakdown of ambient air in long uniform-field gaps 1140
Terada T: vacuum deposition of tin–selenium films 1991
Tewary V.K. and Bullough R: carbon fibre composite as collimator and filter for stress waves (L) L5
Thanailakis A. and Northrop D.C: slow voltage-induced barrier height changes in metal–germanium surface barriers 1776
Thege W.G. with Young P.A: two-layer laser anti-reflection coatings 64
Thompson J.E. with Preece I: magnetic domains and high permeability in Ni–Fe–Cu–Mo alloys 723
Thong K.C. with Jones A.R: the production of charged monodisperse fuel droplets by electrical dispersion 1159
Tillett P.I. and Heritage M.B: the structure of very thin lead films 773
Tilstra J.F. with Nederveen C.J: clamping corrections for torsional stiffness of prismatic bars 1661
Topham D.R: the electric arc in constant pressure axial gas flow 1114
Torrens A.B: equivalent circuit and domain stability of a generalized Gunn diode: application to tunable diodes 705
Tošić D.Dj. with Miljević V.I: a spectroscopic study of the pulsed gas discharge in crossed electric and magnetic fields 1545
Townsend P.D: comments on 'supralinearity and sensitization of thermo-luminescent phosphor lithium fluoride' (L) L59
Travis J.R. with Mellor D.J: total secondary electron coefficients in helium–hydrogen admixtures 338
Tredgold R.H. with Patil S.G: electrical and photoconductive properties of SnS_2 crystals 718
Tree R.J. with Blood P: the scattering factor for geometrical magnetoresistance in GaAs (L) L29
Treloar L.R.G. with White E.F.T, Faraday C.S.N. and Wright H: the elastic constants of oriented glassy polymers 2002
Tripathi V.K: non-steady third harmonic generation in a plasma (R) 164
Tripathi V.K. with Khanna R.K: magnetic field effects on microwave harmonic generation in n-InSb 552
Tropper H. with Megahed I.A.Y: conduction current pulses in transformer oil 446
Turley J. and Sines G: the anisotropy of Young's modulus, shear modulus and Poisson's ratio in cubic materials 264
Turley J. and Sines G: anisotropic behaviour of the compliance and stiffness coefficients for cubic materials 1731

Varey R.H, Smalley J, Richards P.H, Gozna C.F. and Swift-Hook D.T: molecular dissociation in a constricted glow discharge 1520
Venart J.E.S. with Yip F.C: an elastic analysis of the deformation of rough spheres, rough cylinders and rough annuli in contact 1470
Verma S.K. and Wilman H: epitaxy and oblique face development in nickel electrodeposits on a copper cube face, in relation to rate of deposition, deposit thickness, degree of stirring and bath temperature 1167
Verma S.K. and Wilman H: the structure and crystal growth of nickel electrodeposits from a sulphamate bath on polished polycrystalline copper, in relation to thickness, rate of deposition, temperature and stirring 2051
Vincent J.H: electrostatic precipitation of airborne dust in the wake of a perforated plate 1499
Vincent J. H: evaluation of a light transmission technique for testing a two-stage electrostatic dust precipitator 1835
Virdi S.P.S. with Nayyar V.P. and Sirohi R.S: visibility consideration in Michelson's interferometer in the presence of turbulence 485
Virmani C.J.K. and Arora A.K: amplitude modulation of electromagnetic waves by acoustic waves in a dispersive magnetoplasma 1083

Walsh D. with Khan S.H: effect of cathode material in a laser triggered spark gap (R) 344
Walsh D. with Rafi Ahmad S: optical nonlinearity in CdS at high photon densities 1820
Walters K. with Bowen G.W. and Abbott T.N.G: some suggestions for new rheometer designs 190
Walters K. with Broadbent J.M: some suggestions for new rheometer designs: II—interpretation of experimental results 1863
Ward E.W. with Heslop C.J: the measurement of p–n junction depths using a scanning electron microscope 2039
Ward I.M. with McDonald I.R. and McBrierty V.J: investigation of the molecular structure in drawn polyethylene based upon nmr fourth moment measurements 88
Ward L. with Nag A: optical constants of thin films of nickel, copper and germanium 829
Waters N.D. and King M.J: the unsteady flow of an elastico-viscous liquid in a straight pipe of circular cross section 204
Watson D.B: the impulse electric strength of polythene as a function of voltage rise time (L) L19
Watson D.B. and Heyes W: dielectric breakdown of Perspex in non-uniform fields (R) 818
Webb D.R.A. with Medley S.S: ion temperature measurements for the PROTO-CLEO stellarator using a multi-grid electrostatic energy analyser 658
Webb R.S. with Parke S: optical properties of Sn^{2+} and Sb^{3+} in calcium metaphosphate glass 825
Weinberg F.J. with Cox J.B: on the behaviour of enthalpy probes in fluctuating temperature environments 877
Werkheiser A.H. with Steverding B: the plume of electron and laser pulses 545
Westwood W.D. with Stirling A.J: direction of sputtered atoms by atomic absorption spectroscopy 246
Wheeler C.B: the high-power constricted plasma discharge column: II—experimental investigation 400
White E.F.T. with Faraday C.S.N, Wright H. and Treloar L.R.G: the elastic constants of oriented glassy polymers 2002
Wiederick H.D, Mukherjee B.K. and Baird D.C: structure of the current-induced intermediate state in type I superconductors 1365
Wilkinson K.H. with Honeyman W.N: growth and properties of single crystals of group I–III–VI_2 ternary semiconductors 1182
Willder S.S: dynamic refocusing in microspot cathode ray tubes 21 (corrigendum, 1256)
Willder S.S: the correction of deflection astigmatism in microspot cathode ray tubes 27
Williams M.M.R: some comments on the propagation of temperature waves in insulators 1201
Williams M.M.R: a phenomenological study of gas–surface interactions 1315
Williams R.H. and McEvoy A.J: some properties of molybdenite cleavage surfaces 456

Wilman H. with Dutta P.K: the structure and growth of silver films condensed at oblique vapour incidence, and their dependence on the film thickness and the residual air pressure 1971
Wilman H. with Verma S.K: epitaxy and oblique face development in nickel electrodeposits on a copper cube face, in relation to rate of deposition, deposit thickness, degree of stirring and bath temperature 1167
Wilman H. with Verma S.K: the structure and crystal growth of nickel electrodeposits from a sulphamate bath on polished polycrystalline copper, in relation to thickness, rate of deposition, temperature and stirring 2051
Wilshaw T.R: the Hertzian fracture test 1567
Wilson A. with Fells I. and Fletcher F.J: initiation of electrically augmented flames 1538
Wilson S. and Schneider E.E: some measurements of the velocity of hypersound in germanium at low temperature (R) 1886
Window B. with Longworth G: the preparation of narrow-line Mössbauer sources of ^{57}Co in metallic matrices 835
Winsper C.E. with Young M.J.R. and Sansome D.H: the design of high intensity radial vibrators for metal working applications 212
Worster J: electron trajectories in the magnetic field $b/(a-y)$ (R) 1289
Wreathall W.M. with Holeman B.R: thermal-imaging camera tubes with pyroelectric targets 1898
Wright H, Faraday C.S.N, White E.F.T. and Treloar L.R.G: the elastic constants of oriented glassy polymers 2002
Yadav A.S. and Parshad R: on the utilization of Böttcher's formula for correct correlation of dielectric constant of powder and bulk (R) 822 (corrigendum, 1256)
Yip F.C. and Venart J.E.S: an elastic analysis of the deformation of rough spheres, rough cylinders and rough annuli in contact 1470
Young M.J.R, Winsper C.E. and Sansome D.H: the design of high intensity radial vibrators for metal working applications 212
Young M.L. and Bass S.J: the electrical properties of undoped and oxygen-doped GaP grown by the liquid encapsulation technique 995
Young P.A. and Thege W.G: two-layer laser anti-reflection coatings 64